



# 400-151<sup>Q&As</sup>

CCIE Data Center Written

**Pass Cisco 400-151 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/400-151.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit. When configuring enhanced vPC for a dual-homed server, where vPC port-channel command must be configured?



- A. A, B, and C
- B. A and B
- C. C only
- D. vPC configuration is not required when using dual-homed FEX

Correct Answer: B

**QUESTION 2**

In which default state are all Cisco UCS Fabric Interconnect Ethernet ports configured?

- A. uplink port
- B. unconfigured port
- C. disabled port
- D. trunk port
- E. access port



Correct Answer: B

[https://www.cisco.com/en/US/docs/unified\\_computing/ucs/sw/gui/config/guide/141/UCSM\\_GUI\\_Configuration\\_Guide\\_141\\_chapter5.html](https://www.cisco.com/en/US/docs/unified_computing/ucs/sw/gui/config/guide/141/UCSM_GUI_Configuration_Guide_141_chapter5.html)

---

### QUESTION 3

Which statement about when VMware vSphere Distributed Switch is created is true?

- A. A quarantine port group is created by default.
- B. The quarantine port group default policy is to allow all ports.
- C. When a service graph is deleted, the service VMs are manually moved to the quarantine port group by administrator of APIC.
- D. Port group assignments are retained in the quarantine port group.

Correct Answer: A

---

### QUESTION 4

If FCoE capability is disabled between the switch and adapter, which result is true?

- A. The VLAN ID field is always set to 0.
- B. The switch accepts only tagged frames from the adapter.
- C. Ethernet frames sent to the adapter do not include IEEE 802.1Q tags.
- D. The switch accepts only untagged frames from the adapter.

Correct Answer: C

---

### QUESTION 5

Which two statements about import and export route control in an ACI fabric are true? (Choose two.)

- A. Prefixes learned from BGP L3outs cannot be filtered inbound.
- B. Prefixes learned from OSPF/EIGRP are never permitted inbound by default.
- C. Prefixes permitted inbound are redistributed into MP-BGP at the ingress leaf.
- D. Export route control controls if the prefixes are redistributed from MP-BGP at the egress leaf.

Correct Answer: CD



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.