



4A0-101^{Q&As}

Alcatel-Lucent Interior Routing Protocols and High Availability

Pass Alcatel-Lucent 4A0-101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/4a0-101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What value should the AFI be set to for locally administered addressing?

- A. 1
- B. 49 C. 83
- D. 0

Correct Answer: B

QUESTION 2

An Alcatel-Lucent 7750 SR is configured with an export policy to redistribute a loopback prefix into OSPFv3.

What type of LSA advertises the prefix to the other OSPFv3 routers in the same area?

- A. Router LSA
- B. AS External LSA
- C. Intra-Area Prefix LSA
- D. Inter-Area Prefix LSA
- E. Network LSA


Correct Answer: B

QUESTION 3

Click the exhibit button.



Exhibit 4.5.g




In the topology shown, router R1 is an ASBR configured to export external routes to OSPF. Assuming that there are no stub networks, which of the following statements regarding type 4 LSA generation is true?

- A. Router R1 generates a type 4 LSA that is flooded to areas 0, 1, and 2.
- B. Router R3 generates a type 4 LSA that is flooded to areas 0, 1, and 2.
- C. Router R3 generates a type 4 LSA that is flooded to areas 0 and 2.
- D. Router R3 generates a type 4 LSA that is flooded to area 0, and router R6 generates a type 4 LSA that is flooded to area 2.

Correct Answer: D

QUESTION 4

Click on the exhibit.



Before the link failure, all routers have operational OSPF adjacencies between them and there is a BFD session between routers R1 and R3.

After the link failure, which of the following affects the IGP convergence time?

- A. The convergence time depends on the value of the OSPF hello timers on routers R1 and R3.
- B. The convergence time depends on the value of the OSPF hello timers and Dead interval on routers R1 and R3.
- C. The convergence time depends on the value of the BFD interval and multiplier settings on routers R1 and R3.
- D. The convergence time depends on the time taken by the switches to detect the link failure.

Correct Answer: C

QUESTION 5

What command will show the IS-IS neighbors, and their status on an Alcatel-Lucent 7750 SR?

- A. Show isis neighbors
- B. Show router isis neighbors
- C. Show router isis adjacency
- D. Show isis adjacency



Correct Answer: C

[4A0-101 PDF Dumps](#)

[4A0-101 Study Guide](#)

[4A0-101 Braindumps](#)