



4A0-107^{Q&As}

Alcatel-Lucent Quality of Service

Pass Alcatel-Lucent 4A0-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/4a0-107.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following statements about configuring a hierarchical scheduler policy on a SAP is FALSE?

- A. Several Tier 1, Tier 2, and Tier 3 schedulers can be defined within a policy.
- B. A queue's parent scheduler must be a Tier-3 scheduler.
- C. The parent must have a higher level in the hierarchy.
- D. If no parent is configured, the queue/scheduler is considered orphaned.

Correct Answer: B

QUESTION 2

Forwarding sub-classes are configured in the context of which QoS policy type?

- A. Network
- B. Scheduler
- C. Slope
- D. SAP-ingress
- E. Network queue

Correct Answer: D

QUESTION 3

A queue is configured with the following attributes:

MBS = 10KB CBS = 5KB High-Priority-Only = 30%

Assume that there is no CBS overbooking and that the slope-policy is disabled. If the current queue depth is 8KB, what will happen to an in-profile packet arriving in the queue?

- A. It will be discarded because the high-priority-only threshold is exceeded.
- B. It will be queued but re-marked as "out-of-profile."
- C. It will be queued in the reserved portion of the buffer pool and remain "in-profile."
- D. It will be queued in the shared portion of the buffer pool but contend for shared buffer space with packets from other queues.
- E. It will be queued in the shared portion of the buffer pool but may be dropped if the buffer utilization exceeds the start-average value of the low slope.



Correct Answer: D

QUESTION 4

Which priority-mode queue parameter may influence both the profile marking, and scheduling priority of a queue?

- A. PIR
- B. CIR
- C. MBS
- D. burst-limit

Correct Answer: B

QUESTION 5

```
*A:R1# configure router sgt-qos  
*A:R1>config>router>sgt-qos# info
```

```
application bgp dscp none  
dscp nc1 fc af
```

According to the configuration shown above, which of the following about the classification and marking of self-generated BGP traffic is TRUE?

- A. It will be marked as DSCP BE and classified into forwarding class BE.
- B. It will be marked as DSCP NC1 and classified into forwarding class BE.
- C. It will be marked as DSCP NC1 and classified into forwarding class NC.
- D. It will be marked as DSCP NC1 and classified into forwarding class AF.

Correct Answer: D

[4A0-107 PDF Dumps](#)

[4A0-107 VCE Dumps](#)

[4A0-107 Braindumps](#)