

4A0-108^{Q&As}

Alcatel-Lucent Multicast Protocols

Pass Alcatel-Lucent 4A0-108 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/4A0-108.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Click the exhibit.



Assume the I-PMSI group address is G. How many PIM (S,G) entries are on the P (RP) router?

- A. Only one, and S is PE1.
- B. Only one, and S is the MC source server\\'s IP address.
- C. None, as RPonly maintains (*,G) state.
- D. Three, and S is PE1, PE2 and PE3 respectively.

Correct Answer: D

QUESTION 2

Click the exhibit.

A:PE# show router 100 pim s-pmsi detail

PIM Selective provider tunnels

Md Source Address: 10.10.10.1 Md Group Address: 239.1.1.20

VPN Gr Clearer pictures and no water-mask in the Full Product 0.10.1.2

State: RX Not Joined Mdt Threshold : 0

Based on the output, which of the following is correct?



https://www.pass4itsure.com/4A0-108.html

2022 Latest pass4itsure 4A0-108 PDF and VCE dumps Download

- A. The S-PMSI group address is 239.1.1.10.
- B. The I-PMSI group address is 239.1.1.10.
- C. The S-PMSI group address is 239.1.1.20.
- D. The I-PMSI group address is 239.1.1.20.

Correct Answer: C

QUESTION 3

When a BSR message with a higher priority is seen, will a new BSR election occur?

- A. No, the new election only occurs when the elected BSR fails
- B. Yes, after a bootstrap message wait interval
- C. Yes, immediately
- D. Depends on the local configuration of whether to allow the new election or not

Correct Answer: C

QUESTION 4

If the access network supports IGMP version 2 only, what additional configuration is required to enable the SSM model?

- A. IGMP snooping
- B. IGMP compatibility mode support
- C. IGMP version 2 to IGMP version 3 translations
- D. IGMP (*, G) Join to PIM (S. G) Join translation
- E. PIM ASM to PIM SSM translations

Correct Answer: D

QUESTION 5

What impact does an asymmetric IGP routing topology have on the PIM RPF check?

A. The PIM RPF check may fail, since traffic from the source may arrive on one interface, while the IP route to the source may point to another interface on the PIM router.

- B. PIM does not work in an asymmetric topology, therefore there is no RPF check at all.
- C. There is no impact, since the Shared and Source Path Trees are built from the receiver to the source.



https://www.pass4itsure.com/4A0-108.html

2022 Latest pass4itsure 4A0-108 PDF and VCE dumps Download

D. There is not enough information provided here to answer the question.

Correct Answer: C

4A0-108 VCE Dumps

4A0-108 Exam Questions

4A0-108 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.