



# 4A0-C04<sup>Q&As</sup>

Nokia NRS II Composite Exam: OSPF version

## Pass Nokia 4A0-C04 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/4a0-c04.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

On an Nokia 7750 SR, what is the recommended approach for making sure that MTUs between a VPLS and its spoke IES termination match?

- A. Set the service MTU of the VPLS to match the IES MTU.
- B. Set the ip-mtu of the IES to match the service MTU of the VPLS.
- C. Set the SDP MTU of the IES to match the SDP MTU of the VPLS.
- D. Set the MTU of the IES's network port to match the service MTU of the VPLS.

Correct Answer: B

---

### QUESTION 2

Which of the following routes is NOT considered an internal route?

- A. A route received from a BGP peer within the same AS.
- B. A route originated by a router in a different cluster of the same AS.
- C. A route received from a BGP peer from a different member AS of a confederation.
- D. A route received from a BGP peer from the same member AS of a confederation.

Correct Answer: C

---

### QUESTION 3

Which of the following cannot be used as a matching criterion in route policy statements?

- A. Source IP address
- B. TCP source port
- C. Prefix list
- D. Protocol type

Correct Answer: D

---

### QUESTION 4

Click on the exhibit.



```
*A:SRC_R3# oam lsp-ping prefix 192.10.1.2/32
LSP-PING 192.10.1.2/32: 80 bytes MPLS payload
Seq=1, send from intf toR1, reply from 10.10.10.2
    udp-data-len=32 ttl=255 rtt=2.45ms rc=3 (EgressRtr)

---- LSP 192.10.1.2/32 PING Statistics ----
1 packets sent, 1 packets received, 0.00% packet loss
round-trip min = 2.45ms, avg = 2.45ms, max = 2.45ms, stddev = 0.000ms
*A:SRC_R3#
```

After the lsp-ping command is executed, which of the following best describe the router's action?

- A. MPLS Echo Request packets are sent unlabeled to the prefix 192.10.1.2.
- B. MPLS Echo Request packets are sent within the LDP tunnel that are signaled for 192.10.1.2.
- C. MPLS Echo Request packets are sent within the RSVP-TE tunnel that are signaled for 192.10.1.2.
- D. MPLS Echo Request packets are sent over TCP.

Correct Answer: B

#### QUESTION 5

Which of the following messages is NOT used in T-LDP operation?

- A. Hello message
- B. Init message
- C. Keepalive message
- D. Label Mapping message
- E. ACK message

Correct Answer: E

[Latest 4A0-C04 Dumps](#)

[4A0-C04 Practice Test](#)

[4A0-C04 Braindumps](#)