



4A0-M05^{Q&As}

Nokia Cloud Packet Core

Pass Nokia 4A0-M05 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/4a0-m05.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following is correct about CMM system overall health check?

- A. The "fns_monitor" command is only available at the NECC VM.
- B. The "cmm_monitor" command is used to run the complete set of health checks for a specific CMM VM.
- C. The "cmm_monitor" command can be manually executed on any CMM VM.
- D. The "fns_monitor" and "cmm_monitor" commands require superuser privilege.

Correct Answer: D

QUESTION 2

Which of the following is a function of CMG LB-VM?

- A. Generates periodic KPI/KCI XML reports
- B. Terminates external control plane logical interfaces
- C. Performs policy and charging enforcement function
- D. Provides management interfaces to NSP

Correct Answer: C

QUESTION 3

Which of the following statements about networks used by CMG is FALSE?

- A. A management network used for CMG management
- B. Data switch fabric is used to carry signaling messages between LB-VMs and OAM-VMs
- C. Control switch fabric is used to carry inter-VM control messaging
- D. External networks are used to carry both control plane and user plane traffic

Correct Answer: A

QUESTION 4

Which of the following statements regarding CMM call processing is TRUE?

- A. Call processing services are deployed in active-standby mode and resources are fully duplicated
- B. Call processing services are deployed in pure stateless mode and UE contexts are only stored in an external



database

C. Call processing services are deployed in hybrid mode and UE contexts are stored both locally and in an external database

D. Call processing services are deployed in all-active mode and UE contexts are only stored locally

Correct Answer: A

QUESTION 5

Which of the following Nokia products is responsible for the configuration, fault, and performance management of CMM?

A. Network services platform (NSP)

B. CloudBand application manager (CBAM)

C. CloudBand network director (CBND)

D. NetAct

Correct Answer: A

[4A0-M05 VCE Dumps](#)

[4A0-M05 Study Guide](#)

[4A0-M05 Exam Questions](#)