



4A0-M10^{Q&As}

Nokia 5G Packet Core Architecture

Pass Nokia 4A0-M10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/4a0-m10.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which Nokia product is used for the AMF in 5GS?

- A. Cloud Mobility Manager
- B. Cloud Mobile Gateway
- C. Network Resource Discovery
- D. Smart Plan Suite

Correct Answer: A

Reference: <https://www.nokia.com/networks/products/cloud-mobility-manager/>

QUESTION 2

Which of the following best describes the function of a PDU session flow classifier?

- A. An SMF that dynamically inserts and removes uplink classifiers (UL CL) at the UPFs.
- B. An SMF that dynamically inserts and removes UL CL at the UE.
- C. A UPF that terminates the N6 interface towards the data network.
- D. A UPF that filters uplink traffic according to UL CL rules provided by the SMF.

Correct Answer: A

Reference: <https://www.metaswitch.com/knowledge-center/reference/what-is-the-5g-user-plane-function-upf>

QUESTION 3

An AMF needs to know when an SMF deregisters with the NRF. Which of the following NRF APIs should the AMF use?

- A. Nnrf_NFManagement_NFUpdate Request
- B. Nnrf_NFDiscovery_NFDiscover Request
- C. Nnrf_NFManagement_NFStatusSubscribe Request
- D. Nnrf_NFManagement_NFDeregister Request

Correct Answer: A

Reference: https://www.etsi.org/deliver/etsi_ts/123500_123599/123502/15.03.00_60/ts_123502v150300p.pdf

QUESTION 4



Which of the following actions is NOT performed during an Xn-based Inter NG-RAN Handover with I-UPF Insertion procedure?

- A. AMF determines that a new I-UPF needs to be added for a PDU session.
- B. SMF provides N3 tunnel info of I-UPF to target gNB via AMF.
- C. SMF provides N9 tunnel info of UPF PSA to I-UPF.
- D. SMF provides N9 tunnel info of I-UPF to UPF PSA.

Correct Answer: B

QUESTION 5

Which of the following best describes the Secondary Node Addition procedure?

- A. Used to transfer bearer contexts from the master eNB to the secondary gNB.
- B. Used to establish a UE context at the gNB for a UE that supports option 3X.
- C. Used to establish connectivity from the gNB to the EPC.
- D. Used to establish an X2 connection between the eNB and gNB.

Correct Answer: D

[Latest 4A0-M10 Dumps](#)

[4A0-M10 Study Guide](#)

[4A0-M10 Braindumps](#)