



# 4A0-M10<sup>Q&As</sup>

Nokia 5G Packet Core Architecture

## Pass Nokia 4A0-M10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/4a0-m10.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

NF A wants to explicitly subscribe for event notifications at NF B. Which of the following actions regarding this mechanism is FALSE?

- A. NF A acts as a service consumer and NF B acts as a service producer.
- B. NF A includes a subscription identifier in the request message sent to NF B.
- C. NF A includes a callback URI in the request message sent to NF B.
- D. NF A includes event filtering criteria in the request message sent to NF B.

Correct Answer: C

---

### QUESTION 2

When an idle UE moves from EPS to 5GS, which procedure is performed?

- A. Registration
- B. Tracking Area Update
- C. Initial Attach
- D. Service Request

Correct Answer: C

Reference: <https://itectec.com/spec/5-17-interworking-and-migration/>

---

### QUESTION 3

Which of the following statements about non-access stratum mobility management (NAS-MM) protocol is TRUE?

- A. It runs between the UE and the SMF.
- B. It is used to control user plane resources between the UE and a data network.
- C. It provides common procedures such as authentication, identification, and UE configuration update.
- D. NAS-MM messages are relayed transparently by the AMF.

Correct Answer: C

---



#### QUESTION 4

An AMF needs to know when an SMF deregisters with the NRF. Which of the following NRF APIs should the AMF use?

- A. Nnrf\_NFManagement\_NFUpdate Request
- B. Nnrf\_NFDiscovery\_NFDiscover Request
- C. Nnrf\_NFManagement\_NFStatusSubscribe Request
- D. Nnrf\_NFManagement\_NFDeregister Request

Correct Answer: A

Reference: [https://www.etsi.org/deliver/etsi\\_ts/123500\\_123599/123502/15.03.00\\_60/ts\\_123502v150300p.pdf](https://www.etsi.org/deliver/etsi_ts/123500_123599/123502/15.03.00_60/ts_123502v150300p.pdf)

---

#### QUESTION 5

Which of the following best describes the function of a PDU session flow classifier?

- A. An SMF that dynamically inserts and removes uplink classifiers (UL CL) at the UPFs.
- B. An SMF that dynamically inserts and removes UL CL at the UE.
- C. A UPF that terminates the N6 interface towards the data network.
- D. A UPF that filters uplink traffic according to UL CL rules provided by the SMF.

Correct Answer: A

Reference: <https://www.metaswitch.com/knowledge-center/reference/what-is-the-5g-user-plane-function-upf>

[4A0-M10 Practice Test](#)

[4A0-M10 Study Guide](#)

[4A0-M10 Exam Questions](#)