



# 4A0-M10<sup>Q&As</sup>

Nokia 5G Packet Core Architecture

## Pass Nokia 4A0-M10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/4a0-m10.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following does NOT apply to an idle UE in MICO mode?

- A. The UE performs registration updates.
- B. The UE connects to the network to send uplink data.
- C. Power and signaling efficiency is optimized for the UE.
- D. The UE listens and responds to paging.

Correct Answer: D

Reference: <https://blog.3g4g.co.uk/2020/07/mobile-initiated-connection-only-mico.html>

---

**QUESTION 2**

Which of the following statements about 5GS PDU sessions is FALSE?

- A. A PDU session allows for the exchange of PDUs between UE and a data network.
- B. A PDU session contains one single dedicated radio bearer and one or more N3 GTP-U tunnels.
- C. A PDU session has one default QoS flow and can have multiple non-default QoS flows.
- D. A PDU session has one or more UPFs acting as PDU session anchors.

Correct Answer: B

**QUESTION 3**

Which of the following statements about network slice selection assistance information (NSSAI) is FALSE?

- A. Allowed NSSAI is a set of slices provided to UE by AMF during UE registration procedure.
- B. Requested NSSAI is a set of slices provided by UE to the network and contains values from serving PLMN.
- C. Subscribed NSSAI is a set of slices specified in the UE subscription data and contains only home PLMN values.
- D. Configured NSSAI is a set of slices configured on the AMF and contains slices supported per tracking area.

Correct Answer: A

**QUESTION 4**



Which of the following actions is performed when an idle UE moves from 5GS to EPS and the N26 interface is used?

- A. UE initiates an Attach procedure and includes an EPS-GUTI derived from its 5G-GUTI.
- B. For any PDU session that supports interworking, the serving SMF provides an SM context that includes mapped EPS bearers to the AMF.
- C. AMF selects an SGW to serve the UE, and then sets up the required S5-U and S5-C GTP tunnels on the selected SGW.
- D. AMF uses the EPS-GUTI derived from the UE 5G-GUTI to discover the MME, and then provides the UE context to the MME.

Correct Answer: C

---

#### QUESTION 5

Which of the following statements about 5G QoS Flows is FALSE?

- A. A QoS Flow is the finest granularity of QoS differentiation within a PDU session.
- B. A PDU session has one or more QoS Flows.
- C. All QoS Flows of a PDU session are served by a single N3 GTP-U tunnel.
- D. Each QoS Flow is served by a dedicated data radio bearer.

Correct Answer: D

[Latest 4A0-M10 Dumps](#)

[4A0-M10 VCE Dumps](#)

[4A0-M10 Study Guide](#)