



500-325^{Q&As}

Cisco Collaboration Servers and Appliances

Pass Cisco 500-325 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/500-325.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which option does the Cisco Business Edition 4000 Selfcare Portal enable?

- A. preconfiguration of a customer system prior to shipment
- B. connection of phones to Cisco HCS cloud
- C. management of all Business Edition 4000 sites within an organization
- D. connection of phones to Cisco Spark cloud

Correct Answer: C

QUESTION 2

How is Cisco addressing the new challenges for design of data center networks?

- A. using single instances of an OS with single instances of given applications
- B. using distributed virtual switches, or DVS framework
- C. making all legacy and EOL products compliant with current standards
- D. using a persistently bound OS

Correct Answer: B

QUESTION 3

How are collaboration applications in the Cisco BE6000 appliance platform models licensed?

- A. per-company
- B. no licensing needed
- C. per-device
- D. per-user

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/products/collateral/unified-communications/business-edition6000/data_sheet_c78-717454.pdf

QUESTION 4

How much RAM is needed for a specification-based UC server?



- A. enough to support the physical servers
- B. enough to support the virtualization software plus the sum of the virtual servers
- C. enough to support the virtualization software
- D. enough to support the sum of the virtual servers

Correct Answer: B

QUESTION 5

Which guideline for SAN and NAS storage arrays is true?

- A. Design your deployment in accordance with the Cisco UCS high availability guideline.
- B. Adapters for storage access do not follow hardware rules.
- C. Ethernet ports for LAN access and Ethernet ports for storage may only be separate.
- D. Cisco UC apps use a 24 kilobyte block size to determine bandwidth needs.

Correct Answer: C

Reference: https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/uc_system/virtualization/virtualization-collaboration-storage-design-requirements.html

[500-325 PDF Dumps](#)

[500-325 Exam Questions](#)

[500-325 Braindumps](#)