

# 500-601<sup>Q&As</sup>

Application Centric Infrastructure Support Representative

# Pass Cisco 500-601 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/500-601.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





### **QUESTION 1**

If a Cisco ARC cluster is fully operational, how many replica copies does each shard have in addition to the leader replica?

A. 4			
B. 3			
C. 1			
D. 2			

Correct Answer: B

# **QUESTION 2**

Which packets are counted after the atomic counters are configured?

- A. packets that are switched in the hypervisors
- B. packets that are locally switched
- C. packets that are switched via AVS
- D. packets that traverse the fabric

Correct Answer: A

#### **QUESTION 3**

Which two statements about when the ARP request/response is not set to flooding on an Cisco ACI Fabric are true? (Choose two.)

A. Static endpoint entries can be configured under the Tenant Networking section of the Cisco ACI UI for silent hosts to communicate with each other.

B. When the ARP originator and ARP target are known to the proxy, forwarding can no longer occur using the proxy because the source and destination are now known

C. When an ARP target device responds, a response is sent to the proxy, which has an entry (or the ARP originator, so it is then forwarded to the leaf where ARP originator resides.

D. When ARP response is known by the proxy, the ARP is forwarded from the leaf that received the ARP to the spine, and onto the leaf where the ARP target resides.

E. The proxy age time has no limit If the target of the ARP has not sourced a frame for some lime, the entry remains indefinite because this i\$ the only way forwarding can work between silent hosts.

Correct Answer: CE



## **QUESTION 4**

Which option describes how to clear a fault from the Cisco ARC after it has been generated?

- A. Faults are raised and cleared automatically by the system.
- B. Faults can be "acknowledged" only after the fault is in the "soaking" state.
- C. Faults can be "acknowledged," which means it is immediately cleared from the system.
- D. Faults are cleared only after the log is full, so the oldest faults are deleted.

Correct Answer: C

#### **QUESTION 5**

Refer to the exhibit

shell:domains = domain / Role1 | Role2 | Role3 / Role4 | Role5 | Role6

In the Cisco AV Pair, which two options are correct? (Choose two.)

A. Role1 = Read

- B. Role2 = Read
- C. Role5 = Write
- D. Role2 = Write
- E. Role6 = Write
- F. Role1 = Write

Correct Answer: AE

Latest 500-601 Dumps

500-601 PDF Dumps

500-601 Exam Questions