



500-901^{Q&As}

Cisco Data Center Unified Computing Infrastructure Design

Pass Cisco 500-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/500-901.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

How do service profiles enable workload mobility?

- A. Service Profiles represent a physical view of a server without any ties to specific virtual hardware
- B. Service Profiles work with the underlying hypervisor and communicate with the VM to detect workload movement
- C. Service Profiles represent a logical view of a server without any ties to specific physical hardware
- D. Service Profiles communicate workload movement to VCenter

Correct Answer: A

QUESTION 2

Which additional three traffic egress controls may be enabled in Cisco UCS Manager depending upon the network adapter selected? (Choose three.)

- A. Rate
- B. Best Effort
- C. Host Control
- D. Peak
- E. Burst
- F. Smooth

Correct Answer: BCE

QUESTION 3

You disassociated a Database Server Service Profile from your existing UCS C240 M4. Then, you associate a Web Server Service Profile to this UCS C240M4. The Database Server Service Profile contained a Scrub Policy enabled for Disk Scrub. The Web Server Service Profile contains a Scrub Policy disabled for Disk Scrub.

What will happen after the reboot?

- A. The process will fail because the Service Profiles are fundamentally different
- B. The process will succeed, and server disk content will be preserved
- C. The process will fail because of the differences in the Scrub Policies
- D. The process will succeed, but server disk content will be lost

Correct Answer: C



QUESTION 4

Which statement is true regarding vNIC Templates and LAN Connectivity Policy?

- A. Network identities for LAN connectivity policy must be pool derived
- B. We can add VLANs to the vNIC template at any time
- C. WE do not need MAC address pool for vNIC Templates
- D. vNIC templates must be created first and then used as a part of the LAN Connectivity Policy

Correct Answer: D

QUESTION 5

Which Cisco UCS core element maintains the UCS XML database?

- A. Cisco Finite State Machine
- B. Cisco Data Management Engine
- C. Cisco UCS Manager
- D. Cisco Application Gateways

Correct Answer: C

[500-901 PDF Dumps](#)

[500-901 Study Guide](#)

[500-901 Exam Questions](#)