



500-920^{Q&As}

Cisco Data Center Unified Computing Infrastructure Troubleshooting
(DCITUC)

Pass Cisco 500-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/500-920.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

The UCS Chassis Discovery Policy has been set to four and a new chassis is connected with two links What is the resulting chassis recognition action?

- A. The chassis will not be recognized
- B. The Chassis Discovery Policy will automatically reset to two links, since it always tracks the physical connections
- C. The chassis will be recognized and both links will be active
- D. The chassis will be recognized but only one of the links will be active.

Correct Answer: A

QUESTION 2

Which command sequence is required to reset Cisco Integrated Management Controller (IMC) of a Cisco UCS Server?

- A. connect cimc | reset | validate
- B. scope cimc | reset | commit-buffer
- C. connect cimc | reset | commit
- D. scope cimc | reset | validate

Correct Answer: B

QUESTION 3

You are in the process of upgrading your UCS M3 Server to a newer UCS M4 Server. You associate the Service Profile to the new UCS Server, but it fails to boot You suspect of a failed boot hard drive. You check your RAID1 Boot LUN in UCS Manager, but see no error messages

What could be causing the issue?

- A. The newer Cisco UCS M4 Server is using flash drives, not hard drives
- B. The newer Cisco UCS M4 Server is using disks of larger capacity than the previous UCS M3 Server
- C. A misconfiguration on the Service Profile Local Boot Policy
- D. A misconfiguration on the Service Profile Local Disk Policy

Correct Answer: A



QUESTION 4

If a Cisco UCS B-Series server fails to initialize, which method of access is required to troubleshoot?

- A. Use direct console access to troubleshoot initialization
- B. Use Cisco UCS Manager GUI to troubleshoot initialization
- C. Use Cisco UCS Manager API to troubleshoot initialization
- D. Use KVM console to troubleshoot initialization

Correct Answer: D

QUESTION 5

When troubleshooting, which option is the primary uses of the SCOPE command?

- A. To access the log files on the log server
- B. The SCOPE command is not helpful in this case
- C. To access the log files on the virtual machines
- D. To access the log files that reside in a component

Correct Answer: D

[Latest 500-920 Dumps](#)

[500-920 Practice Test](#)

[500-920 Study Guide](#)