

5V0-21.19^{Q&As}

VMware vSAN 6.7 Specialist Exam 2019

Pass VMware 5V0-21.19 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/5v0-21-19.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/5v0-21-19.html

2024 Latest pass4itsure 5V0-21.19 PDF and VCE dumps Download

QUESTION 1

vSAN identifies a dying disk.

When is operator action required to provide data protection?

- A. when the cluster lacks resources
- B. when vSAN Health service is disabled
- C. when an object storage policy uses erasure coding
- D. when an object storage policy uses FTT=3

Correct Answer: B

QUESTION 2

Refer to the exhibit.

Availability	Advanced Policy Rule	s Tags	
Site disaster tolerance (1)		Dual site mirroring (stretched cluster)	v
Failures to tole	rate ①	1 failure - RAID-5 (Erasure Coding)	

What is the minimum number of data nodes across all sites in a vSAN stretched cluster configuration with the above storage policy?

A. 4

B. 6

C. 8

D. 9

Correct Answer: B

QUESTION 3

You are designing a vSAN stretched cluster solution.

What is the maximum number of nodes possible for this solution?

A. 15 per data site + 1 witness host

B. 30 per data site + 1 witness host



https://www.pass4itsure.com/5v0-21-19.html

2024 Latest pass4itsure 5V0-21.19 PDF and VCE dumps Download

C. 32 per data site + 1 witness host

D. 64 per data site + 1 witness host

Correct Answer: B

Reference: https://storagehub.vmware.com/t/vmware-vsan/vmware-vsan-6-7-technical-overview/clustertypes-3/

QUESTION 4

An architect is asked to design a vSAN cluster with these requirements: -Supports erasure coding storage policy -Minimized inaccessibility from single device failures -Ability to re-protect data after a failure The desired configuration should be able to survive a single failure.

Which configuration satisfies the design requirements?

- A. 3-node hybrid vSAN cluster
- B. 4-node hybrid vSAN cluster
- C. 4-node all-flash vSAN cluster
- D. 5-node all-flash vSAN cluster

Correct Answer: C

QUESTION 5

What are two reasons why a vCenter UI can show a Noncompliant status for a VM storage object? (Choose two.)

- A. The object is no longer fully compliant with the associated storage policy.
- B. A storage hardware failure has caused permanent data loss for the object.
- C. The VM storage compliance alarm has been triggered for that object.
- D. The object is not associated with a guest VM.
- E. The object is not associated with a storage policy.

Correct Answer: AE

5V0-21.19 PDF Dumps

5V0-21.19 Practice Test

5V0-21.19 Study Guide