



5V0-21.21^{Q&As}

VMware HCI Master Specialist Dumps

Pass VMware 5V0-21.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/5v0-21-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An architect is designing for a production vSAN cluster, and the customer introduced these requirements related to File Services:

A minimum of 12 files shares.

30TB NFS capacity to mount workload VMs.

What should be the architect's recommendations?

- A. Point out the risks regarding putting the hosts in maintenance mode in terms of FSVM.
- B. Confirm on all of the requirements and move forward with the physical design.
- C. Raise concerns regarding support when running VMs on an NFS share as risk.
- D. Highlight the required number of nodes required for the vSAN cluster as a constraint.

Correct Answer: D

QUESTION 2

An administrator managing a vSAN cluster of six-nodes with policy FTT-2/RAID-6 decided to put one of the nodes in maintenance mode using the "Full-data migration" option.

What will happen after this action is taken?

- A. The host will enter in maintenance mode and the data will remain accessible until the host exits maintenance mode.
- B. The system will prompt to add an additional host to the cluster in order to preserve the policy compliance.
- C. The host will enter in maintenance mode and only data with no redundancy will remain accessible.
- D. The host will enter into maintenance mode if both components of a certain object are residing on that host, then one of the components will be moved to another available host.

Correct Answer: A

Reference: <https://blogs.vmware.com/virtualblocks/2020/02/06/what-happens-vsan-host-in-maintenancemode/>

QUESTION 3

An administrator is planning to deploy cloud-native workloads onto the vSAN Direct datastore. Which storage policy structure rule is supported?

- A. Host-based rules



- B. vVOL storage rules
- C. Tag-based placement rules
- D. Storage performance-based rules

Correct Answer: A

QUESTION 4

During a maintenance action on a vSAN node, a vSAN administrator noticed that the default repair delay time is about to be reached.

Which two commands must be run to extend the time? (Choose two.)

- A. `/etc/init.d/vsanmgmt restart`
- B. `esxcli system settings advanced set -o /VSAN/ClomRepairDelay -i 50`
- C. `esxcli system settings advanced set -o /VSAN/ClomRepairDelay -i 80`
- D. `/etc/init.d/clomd restart`
- E. `/etc/init.d/vsanobserver restart`

Correct Answer: CD

Reference: <https://kb.vmware.com/s/article/2075456>

QUESTION 5

An architect is designing a vSAN cluster.

Which storage controller option will yield optimal performance?

- A. High queue depth
- B. Set caching to 50% read on the controller
- C. Enable battery write-back caching
- D. RAID 0

Correct Answer: D

[Latest 5V0-21.21 Dumps](#)

[5V0-21.21 VCE Dumps](#)

[5V0-21.21 Practice Test](#)