



5V0-22.21^{Q&As}

VMware vSAN 6.7 Specialist

Pass VMware 5V0-22.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/5v0-22-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

An administrator is enabling vSphere HA and vSAN on the same cluster and needs to use a configuration that is valid for vSphere HA Heartbeat datastore.

Which configuration should be used?

- A. A datastore mounted to more than one host, as well as any vSAN datastore
- B. Any datastore mounted to more than one host
- C. Any datastore mounted to more than one host, but not a vSAN datastore
- D. vSAN datastore as vSphere HA Heartbeat datastore

Correct Answer: C

QUESTION 2

A vSAN administrator observes that the VMware Skyline Health: Time Synchronization displays one host that is noncompliant.

What is the meaning of this message?

- A. The vSAN administrator must review the NTP server configuration on vCenter Server and the ESXi hosts.
- B. The vSAN administrator must put the noncompliant host into maintenance mode.
- C. The value of the CLOMRepairDelay parameter is incorrect.
- D. The noncompliant host cannot communicate with vCenter.

Correct Answer: A

QUESTION 3

When attempting to add a directly attached disk device to a host disk group, the intended disk does not show among the available devices in disk management.

Which action should be taken?

- A. Delete all device partitions
- B. Create a 1GB metadata partition
- C. Format the existing partition
- D. Create a VMFS partition

Correct Answer: A

**QUESTION 4**

A customer is running a number of compute-intensive application workloads on their existing 4-node vSAN cluster that has resulted in resource contention. To provide additional compute resources, the vSAN administrator has decided to deploy a new 4-node vSAN compute-only cluster so that a HCI Mesh can be configured.

Which three points would the vSAN administrator need to consider before using this configuration? (Choose three.)

- A. The storage policy must be based on the number of hosts within the client cluster.
- B. The storage policy is based on the total number of hosts across both client and server clusters.
- C. A storage policy of Erasure Coding with FTT=2 would be supported.
- D. A storage policy of Mirroring with FTT 1 would be supported.
- E. A storage policy of Erasure Coding with FTT=1 would be supported.
- F. The storage policy must be based on the number of hosts within the server cluster.

Correct Answer: DEF

QUESTION 5

A vSAN administrator wants to install a patch on an existing vSAN cluster. The environment runs vSphere 7.0, and the patch contains ESXi 7.0 Update 1c. The vSAN administrator will use vSphere Lifecycle Manager images to add the patch to the proper image and apply it to the vSAN cluster.

Which action should be performed before patching the ESXi hosts in the vSAN cluster?

- A. Upgrade the Platform Services Controller.
- B. Perform a disk format upgrade.
- C. Create a baseline instead of using images.
- D. Upgrade the vCenter Server.

Correct Answer: D

[5V0-22.21 PDF Dumps](#)

[5V0-22.21 Exam Questions](#)

[5V0-22.21 Braindumps](#)