



5V0-23.20^{Q&As}

VMware vSphere with Tanzu Specialist

Pass VMware 5V0-23.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/5v0-23-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which open-source project extends the Docker registry source code to provide an enterprise-class registry server?

- A. Namespace
- B. Manifest
- C. Harbor
- D. Github

Correct Answer: C

QUESTION 2

Which type of service is created by default when publishing a Kubernetes service?

- A. Cluster IP
- B. Node Port
- C. LoadBalancer
- D. ExternalName

Correct Answer: B

QUESTION 3

An organization is preparing to deploy vSphere with Tanzu and will be using the vSphere Networking stack.

How should the administrator allocate management network IP addresses for the Kubernetes Control Plane within the Supervisor Cluster?

- A. Five IP addresses are required, one for each of the Control Plane VMs, one for the floating IP address of the Control Plane VM, and one spare for performing rolling cluster upgrades
- B. Four f3 addresses are required, one for each of the Control Plane VMs and one spare for performing rolling cluster upgrades
- C. Three P addresses are required, one for each of the Control Plane VMs
- D. Six IP addresses are required, one for each of the Control Plane VMs, one for the floating IP address of the Control Plane VM, one for performing rolling cluster upgrades and one for the image Registry VM.

Correct Answer: A

QUESTION 4



What is the minimum number of virtual distributed portgroups that must be configured on the vSphere Distributed Switch before enabling Workload Management using the vSphere networking stack and a HAProxy load balancer?

- A. 2
- B. 1
- C. 4
- D. 3

Correct Answer: A

QUESTION 5

Which kubectl command is used to list all pods in the current active namespace?

- A. kubectl get nodes
- B. kubectl get pods
- C. kubectl get services
- D. kubectl list pods

Correct Answer: B