



5V0-23.20^{Q&As}

VMware vSphere with Tanzu Specialist

Pass VMware 5V0-23.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/5v0-23-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which is a valid version change for a Tanzu Kubernetes cluster running Kubernetes version 1.16.7?

- A. Upgrade one major version (e.g.. 2.0.1)
- B. Upgrade two minor versions (e.g., 1.18.0)
- C. Downgrade one patch version (e.g.. 1.16.5)
- D. Upgrade one minor version (e.g.. 1.17.0)

Correct Answer: D

QUESTION 2

Why would an organization set up private image registries?

- A. Role-based access control can be assigned by integrating the image registry with user identity management.
- B. DevOps engineers are able to store virtual machine images in a central location.
- C. Open source registry server projects enable organizations to modify them as necessary.
- D. Public image registries lack enterprise support.

Correct Answer: A

QUESTION 3

Which two container network interfaces (CNIs) are supported with Tanzu Kubernetes clusters created by the Tanzu Kubernetes Grid Service? (Choose two)

- A. NSX-T
- B. Weave Net
- C. Flannel
- D. Antrea
- E. Calico

Correct Answer: DE

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-A7756D67-0B95447D-A645-E2A384BF8135.html> A Tanzu Kubernetes cluster provisioned by the Tanzu Kubernetes Grid Service supports two CNI options: Antrea (default) and Calico. Both are open-source software that provide networking for cluster pods, services, and ingress. Tanzu Kubernetes clusters provisioned by the Tanzu Kubernetes Grid Service support the following Container Network Interface (CNI) options: Antrea Calico



QUESTION 4

Which kubectl command should be used to change the active vSphere namespace to namespace-01?

- A. kubectl config use-context namespace-01
- B. kubectl describe ns namespace-01
- C. kubectl get ns namespace-01
- D. kubectl config change-context namespace-01

Correct Answer: D

QUESTION 5

Why would developers choose to deploy an application as a vSphere Pod instead of a Tanzu Kubernetes cluster?

- A. They need the application to run as privileged pods.
- B. The application works with sensitive customer data, and they want strong resource and security isolation.
- C. They want to have root level access to the control plane and worker nodes in the Kubernetes cluster.
- D. The application requires a version of Kubernetes that is above the version running on the supervisor cluster.

Correct Answer: B

[Latest 5V0-23.20 Dumps](#)

[5V0-23.20 Practice Test](#)

[5V0-23.20 Braindumps](#)