



5V0-31.20^{Q&As}

VMware Cloud Foundation Specialist

Pass VMware 5V0-31.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/5v0-31-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator creates a vSphere with Tanzu namespace.

Which two limits can be defined in namespace? (Choose two)

- A. Limits on CPU
- B. Limits on memory
- C. Limits on NIOC
- D. Limits on load balancer
- E. Limits on storage IOPS

Correct Answer: AB

QUESTION 2

An administrator creates a management domain using the VMware Cloud Bulkier appliance Which type of storage must be used as principal storage for the management domain?

- A. NFS
- B. vSAN
- C. VMFS on FCoE
- D. VMFS on FC

Correct Answer: B

QUESTION 3

Which disk configuration is supported by VMware Cloud Builder and can be used for VMware vSAN in VMware Cloud foundation environment?

- A. Two 600 GB HDD disks and four 2 TB SSD disks per server
- B. Two 60X5 GB NVMe disks and four 2 TB SSD disks per server
- C. Two 600 GB NVMe disks and five 2 TB SSD disks per server
- D. Two 600 GB SSD disks and five 2 TB SSD disks per server

Correct Answer: D

QUESTION 4



An Enhanced Linked Mode of vCenter Server is being used to easily log in to every vCenter Server instance How many vCenter Server instances in a single vCenter Single Sign-On domain are supported?

- A. 15
- B. 16
- C. 7
- D. 8

Correct Answer: A

QUESTION 5

During a design discussion around VMware Cloud Foundation, it was identified that

1.

The customer has workloads that have requirements related to logical load balancing

2.

The customer would like to size the different Edge nodes based on application requirements

How can these requirements be met when planning for VMware Cloud Foundation NSX-T Edge deployment through SDDC Manager?

- A. Use Workload Management
- B. Use NSX-T API calls
- C. Use the Custom option
- D. Deploy Bare Metal Edges

Correct Answer: C

[Latest 5V0-31.20 Dumps](#)

[5V0-31.20 Practice Test](#)

[5V0-31.20 Braindumps](#)