



# 5V0-42.21<sup>Q&As</sup>

VMware SD-WAN Design and Deploy Skills

**Pass VMware 5V0-42.21 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/5v0-42-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which VMware SD-WAN component is responsible for overlay route distribution?

- A. VMware SD-WAN Controller
- B. VMware SD-WAN Orchestrator
- C. VMware SD-WAN Edge
- D. VMware SD-WAN Hub

Correct Answer: A

---

**QUESTION 2**

Due to very strict security policies an enterprise customer is looking for an on-premises deployment of the VMware SD-WAN Orchestrator and Controllers. Customer data is not expected to flow through this Controller, however it is desirable that management plane traffic towards the Orchestrator coming from VMware SD-WAN Edges can take the overlay tunnels through this controls. What are some of the needed steps to achieve the requirements above?

- A. Under gateway configuration -> Configure the Gateway roles as Control Plane, disable Data Plane and enable management plane forward
- B. Under gateway configuration -> Configure the Gateway roles as Control Plane, disable Data Plane and add static host routes with NAT hand off settings porting to the Orchestrator IPs under Partner Gateway advanced hand off settings
- C. Under gateway configuration -> Configure the Gateway roles as Control-Plane, enable Data Plane and Partner Gateway role and add static host routes with NAT hand off settings pointing to the Orchestrator IPs under Partner Gateway advanced hand off settings
- D. Under gateway configuration -> Configure the Gateway roles as Control-Plane, enable Data Plane and Partner Gateway role and add a static default route with NAT hand off settings under Partner Gateway advanced hand off settings

Correct Answer: C

---

**QUESTION 3**

A customer is using hypervisor to install VMware Partner Gateways. Which two hypervisors may be used? (Choose two.)

- A. Hyper-V
- B. Kubernetes
- C. XenServer
- D. KVM



E. ESXi

Correct Answer: AD

---

#### QUESTION 4

Which VMware SR-WAN component runs the Deep Application Recognition Engine?

- A. VMware SD WAN Orchestrator
- B. VMware SD-WAN Controller
- C. VMware SD-WAN Gateway
- D. VMware SD-WAN Edge

Correct Answer: B

---

#### QUESTION 5

A customer would like to ensure that the traffic towards the Partner Gateway does not exceed a certain bandwidth.

Which feature should be used?

- A. Modify the SD WAN Traffic Class and Weight Mapping
- B. Enable the SD-WAN Overlay Rate-Limit.
- C. Change the application priority to low.
- D. Enable the rate limit under a new custom Business Policy Rule.

Correct Answer: C

[5V0-42.21 PDF Dumps](#)

[5V0-42.21 Practice Test](#)

[5V0-42.21 Braindumps](#)