



600-210^{Q&As}

Implementing Cisco Service Provider Mobility UMTS Networks

Pass Cisco 600-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/600-210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Drag the SCCP Services on the left to match the corresponding protocol class on the right.	
Basic connection-oriented	Class 0
Error recovery and flow control connection oriented	Class 1
Basic connectionless	Class 2
Sequenced connectionless	Class 3
Flow control connection oriented	Class 4

Select and Place:

Drag the SCCP Services on the left to match the corresponding protocol class on the right.	
Basic connection-oriented	Class 0
Error recovery and flow control connection oriented	Class 1
Basic connectionless	Class 2
Sequenced connectionless	Class 3
Flow control connection oriented	Class 4

Correct Answer:

Drag the SCCP Services on the left to match the corresponding protocol class on the right.	
	Basic connectionless
	Sequenced connectionless
	Basic connection-oriented
	Flow control connection oriented
	Error recovery and flow control connection oriented

QUESTION 2

Which three AVPs are needed to enable usage monitoring over Gx on the GGSN? (Choose three.)

- A. Bearer-Identifier
- B. Monitoring-Key
- C. QoS-Information



- D. Granted-Service-Unit
- E. Usage-Monitoring-Level
- F. Usage-Monitoring-Support

Correct Answer: BDE

QUESTION 3

Which two configurations are required for narrow band SS7 configuration in the Cisco ASR 5000 system? (Choose two.)

- A. link type configuration in the SS7 routing domain
- B. framing type configuration at the card level
- C. SCCP network association at the port level
- D. lu-PS service association at the port level
- E. peer server configuration at the SS7 routing domain

Correct Answer: AB

QUESTION 4

Which option describes how IPsec is used for L2TP configuration on GGSN?

- A. IPsec encapsulated data is sent over the L2TP tunnel.
- B. L2TP encapsulated data is sent over the IPsec tunnel.
- C. L2TP references IPsec for forwarding decisions.
- D. IPsec encapsulated data is sent between MS and GGSN, and data between LAC (GGSN) and LNS is sent via L2TP tunnel.

Correct Answer: B

QUESTION 5

Which action does an S4-SGSN take when it receives a secondary PDP context request from the UE?

- A. A bearer resource command is sent to the SGW.



- B. A create bearer request is sent to the SGW.
- C. A create session request is sent to the SGW.
- D. A create PDP context request is sent to the SGW.

Correct Answer: A

[Latest 600-210 Dumps](#)

[600-210 PDF Dumps](#)

[600-210 Practice Test](#)