



600-212^{Q&As}

Implementing Cisco Service Provider Mobility LTE Networks

Pass Cisco 600-212 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/600-212.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two statements about the Diameter message direction on the Rf interface are true? (Choose two.)

- A. Diameter Accounting-Request is initiated by S-GW/P-GW to CDF.
- B. Diameter Accounting-Answer is initiated by CDF to S-GW/P-GW.
- C. Diameter Accounting-Request is initiated by S-GW/P-GW to CGF.
- D. Diameter Accounting-Answer is initiated by CGF to S-GW/P-GW.
- E. Diameter Accounting-Request is initiated by S-GW/P-GW to the billing server.
- F. Diameter Accounting-Answer is initiated by the billing server to S-GW/P-GW.

Correct Answer: AB

QUESTION 2

Which two IEs are ignored by the LTE domain when the EPS QoS parameter is mapped to the R99 QoS parameter? (Choose two.)

- A. pre-emption capability
- B. ARP priority
- C. MBR of PDP context associated with the background traffic class
- D. MBR of PDP context associated with the interactive traffic class
- E. pre-emption vulnerability

Correct Answer: AE

QUESTION 3

In which two ways is P-CSCF discovered by the Voice over LTE IMS client? (Choose two.)

- A. Retrieve the list of P-CSCF information that is stored locally on the IMS client.
- B. Obtain P-CSCF information from other registered IMS clients.
- C. Retrieve the list of P-CSCF information from the Mobility Management Entity.
- D. Obtain P-CSCF information in the protocol configuration options during bearer context activation.
- E. Obtain P-CSCF information from the Telephony Application Server during IMS registration.

Correct Answer: AD



QUESTION 4

Which three target identities can trigger Lawful Intercept on the Cisco ASR 5000 MME? (Choose three.)

- A. IMSI
- B. MSISDN
- C. IMEI
- D. username
- E. TMSI
- F. P-TMSI

Correct Answer: ABC

QUESTION 5

Exhibit:

```
[local]LTE# show sgw-service all
Service name           : SGW-SVC
Service-Id             : 17
Context                : EPC
Accounting context     : EPC
Accounting gtp group   : default
Accounting mode        : gtp
Accounting stop-trigger : Default
Status                 : STARTED
Egress protocol        : gtp
Ingress EGTP service   : Ingress-SGW
Egress context         : EPC
Egress EGTP service    : Egress-SGW
Egress MAG service     : n/a
IMS auth. service      : S11-SVC
Accounting policy      : MME-SGW
Newcall policy         : n/a
QCI-QoS mapping table  : n/a
Event Reporting        : Disabled
DDN Throttling         : Disabled
Page UE for PGW initiated proc: Disabled

PLMN ID List           : MCC: 123, MNC: 456 [Primary]
```

Refer to the exhibit. Which interface is associated to reference point between the MME and the SGW?

- A. EPC
- B. Ingress-SGW
- C. Egress-SGW
- D. MME-SVC



E. S11-SVC

Correct Answer: B

[600-212 PDF Dumps](#)

[600-212 Exam Questions](#)

[600-212 Braindumps](#)