



600-511^{Q&As}

Designing with Cisco Network Programmability for ACI

Pass Cisco 600-511 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/600-511.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In which three ways can a Layer 4 to Layer 7 service node be integrated into an ACI fabric? (Choose three.)

- A. device package
- B. EPG stitching with an opaque service node
- C. OpFlex standard
- D. inline tap between leaf and spine
- E. leverage policy-based routing
- F. VLAN stitching
- G. OpenFlow standard

Correct Answer: ABC

QUESTION 2

Which statement about a whitelist security model is true?

- A. Permit all traffic.
- B. Deny specific traffic flows, and permit any other traffic.
- C. Permit specific traffic flows, and deny any other traffic.
- D. Deny all traffic.

Correct Answer: C

QUESTION 3

Which three types of interface are supported on border leaf switches to connect to an external router? (Choose three.)

- A. Layer 3 interface
- B. subinterface with 802.1Q tagging
- C. backup interface
- D. switched virtual interface
- E. management interface
- F. point-to-point interface

Correct Answer: ABD



QUESTION 4

Which three elements of the ACI fabric contribute to zero-touch deployment capability? (Choose three.)

- A. centralized controller for policy, bootstrap, and image management
- B. topology auto discovery, automated configuration, and infrastructure addressing
- C. loose wiring validation
- D. support for iBGP confederations
- E. NX-API and NETCONF protocol interfaces
- F. orchestration using Visore

Correct Answer: ABC

QUESTION 5

Which three options are attributes of an ACI fabric? (Choose three.)

- A. It is built on a spine-leaf architecture.
- B. It uses FabricPath to enable the overlay architecture.
- C. It supports external network devices that are connected to the ACI baby spines.
- D. It encapsulates every packet that traverses the fabric using VXLAN.
- E. It integrates with existing networks through standards-based Layer 2 and Layer 3 protocols.
- F. Leaf switches manage the forwarding tables.
- G. Spine switches manage the policy enforcement.

Correct Answer: ADE

[Latest 600-511 Dumps](#)

[600-511 PDF Dumps](#)

[600-511 Braindumps](#)