



6103^{Q&As}

Avaya ERS 8000 and Avaya VSP 9000 Implementation Exam

Pass Avaya 6103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/6103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which command mode contains the commands needed to work on software licenses?

- A. User Exec
- B. Global Configuration
- C. Software Configuration
- D. Privileged Exec

Correct Answer: B

QUESTION 2

For maximum cooling, how many cooling modules does a Virtual Services Platform (VSP) 9000 chassis need?

- A. 2 inserted from the front
- B. 2 inserted from the back
- C. 2 inserted from the front and 4 from the back
- D. 2 inserted from the front and 2 from the back

Correct Answer: D

QUESTION 3

SMLTv2 is introduced with the Virtual Services Platform (VSP) 9000, and is easier to configure than SMLTv1.

What is a requirement for SMLTv2?

- A. MLT IDs must be globally unique on a VSP 9000 cluster.
- B. SMLT IDs must be globally unique on a VSP 9000 cluster.
- C. SLT IDs must be globally unique on a VSP 9000 cluster.
- D. RSMLT IDs must be globally unique on a VSP 9000 cluster.

Correct Answer: A

QUESTION 4

A technician has implemented RSMLT edge design. After recovering from a power outage, some clients could not communicate. It has been determined that only one of the core RSMLT switches has recovered.



What should have been done to prevent the loss of communications?

- A. Turn off the HoldDown timer.
- B. RSMLT-Edge needs to be enabled globally.
- C. Clear the peer IP and MAC addresses.
- D. Set the VLAN to copy RSMLT info from a similarly configured VLAN.

Correct Answer: C

QUESTION 5

Refer to the exhibit.

```
VSP-9012:1#flight-recorder all 1
Processing Flight-recorder snapshot for 1 ...

Flight-recorder snapshot for slot 1 complete,
20111019114431.1.bin.gz.

Processing Flight-recorder trace for 1 ....

Flight-recorder trace for slot 1 complete, fi.
0111019114434.1.txt.

Processing Flight-recorder archive for slot 1

Flight-recorder archive for slot 1 complete, :
hive.20111019114446.1.tar.
```

While troubleshooting your VSP 9000 system, you run the command flight-recorder all

1. The associated files are created.

Based on the information in the exhibit, where are the associated files stored?

- A. Internal flash
- B. TFTP Server
- C. External flash
- D. USB Flash device

Correct Answer: A