



# 640-878<sup>Q&As</sup>

Building Cisco Service Provider Next-Generation Network

## Pass Cisco 640-878 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/640-878.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When upgrading a Cisco ASR 1001 Router, when is the request platform software package expand file bootflash:image-name command required?

- A. to copy the consolidated Cisco IOS XE image to the bootflash:
- B. to perform Cisco IOS ISSU on the standby route processor
- C. to run the router using a consolidated package
- D. to run the router using individual subpackages

Correct Answer: D

<http://www.cisco.com/en/US/docs/routers/asr1000/configuration/guide/chassis/asrswcfg.pdf>

## File Systems on the Cisco ASR 1000 Series Router

Table 3 provides a list of file systems that can be seen on the Cisco ASR 1000 Series Routers.

**Table 3** File Systems

File System	Description
bootflash:	The boot flash memory file system on the active RP.
cns:	The Cisco Networking Services file directory.
harddisk:	The hard disk file system on the active RP. The harddisk: file system is not available on the Cisco ASR 1002 Routers.
nvrn:	Router NVRAM. You can copy the startup configuration to NVRAM or from NVRAM.
cbfl:	The file system for Onboard Failure Logging files.
stby-bootflash:	The boot flash memory file system on the standby RP.
stby-harddisk:	The hard disk file system on the standby RP. The harddisk: file system is not available on the Cisco ASR 1002 Routers.
stby-usb[0-1]:	The Universal Serial Bus (USB) flash drive file systems on the standby RP. The stby-usb: file system is not available on the Cisco ASR 1002 Routers.
system:	The system memory file system, which includes the running configuration.
tar:	The archive file system.
tmpsys:	The temporary system files file system.
usb[0-1]:	The Universal Serial Bus (USB) flash drive file systems on the active RP. Only usb0: is available on the Cisco ASR 1002 Router.



### QUESTION 2

Refer to the partial configurations exhibit.



```
! ME3400
!  
ip routing
!  
vlan 10
vlan 20
interface Fa0/1
switchport access vlan 10
interface Fa0/2
switchport access vlan 20
!
```

What additional configurations are required to enable inter-VLAN routing for VLANs 10 and 20 on the Cisco ME 3400 switch using the metro IP access image?

- A. interface Fa0/1 ip address 192.168.10.1 255.255.255.0 ! interface Fa0/2 ip address 192.168.20.1 255.255.255.0 !
- B. interface Fa0/1 ip address 192.168.10.1 255.255.255.0 ! interface Fa0/2 ip address 192.168.20.1 255.255.255.0 !  
router eigrp 1 network 192.168.10.0 network 192.168.20.0 !
- C. interface vlan 10 ip address 192.168.10.1 255.255.255.0 ! interface vlan 20 ip address 192.168.20.1 255.255.255.0 !
- D. interface Fa0/1 encapsulation dot1q 10 ip address 192.168.10.1 255.255.255.0 ! interface Fa0/2 encapsulation dot1q 20 ip address 192.168.20.1 255.255.255.0 !

Correct Answer: C

### QUESTION 3

Refer to the exhibit.

```
ipv4 access-list FILTER
10 permit tcp any 192.168.15.32 0.0.0.15 eq www
20 deny ipv4 any 192.168.15.32 0.0.0.15
30 permit ipv4 any any
```

The access list has been configured on the Gi0/0/0/0 interface in the inbound direction. Which four packets that are sourced from 10.1.1.1 TCP port 1060, if they are routed to the Gi0/0/0/0 interface, will be permitted? (Choose four)

- A. destination IP address: 192.168.15.37, destination TCP port: 8080
- B. destination IP address: 192.168.15.41, destination TCP port: 8080
- C. destination IP address: 192.168.15.49, destination TCP port: 8080
- D. destination IP address: 192.168.15.36, destination TCP port: 80
- E. destination IP address: 192.168.15.46, destination TCP port: 80
- F. destination IP address: 192.168.15.49, destination TCP port: 80



Correct Answer: CDEF

#### QUESTION 4

Refer to the configuration example exhibit.

```
S1(config)# interface f0/1
S1(config-if)# switchport access vlan 118
S1(config-if)# switchport mode dot1q-tunnel
S1(config-if)# interface f0/3
S1(config-if)# switchport access vlan 209
S1(config-if)# switchport mode dot1q-tunnel
```

Which statement is true?

- A. A trunk port has been created and VLAN has been allowed.
- B. An access port has been created on a UNI.
- C. A customer VLAN of 209 is configured.
- D. A QinQ VLAN of 118 is configured.

Correct Answer: D

<http://www.cisco.com/en/US/docs/switches/lan/catalyst4500/12.2/54sg/configuration/guide/tunnel.html#wp1026594>

#### QUESTION 5

Select and Place:

Drag and drop the RSTP port roles on the left to the correct description on the right.

root	a forwarding port for the LAN segment
designated	a port that provides a redundant path to the LAN segment where another bridge port already connects
alternate	a forwarding port that is the best port from the non-root bridge to the root bridge
backup	a port that provides another path to the root bridge that is different than the path through the root port

Correct Answer:



Drag and drop the RSTP port roles on the left to the correct description on the right.


designated
backup
root
alternate

[Latest 640-878 Dumps](#)

[640-878 Study Guide](#)

[640-878 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.