640-916 Q&As

Introducing Cisco Data Center Technologies (Retired)

Pass Cisco 640-916 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/640-916.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

What two fields must be filled out to complete the installation of the Nexus 1000v virtual switching environment? (Choose two.)

A. Domain ID

B. Telnet Server

C. Administrator Password

D. TFTP Server

E. SNMP Community String

Correct Answer: AC

QUESTION 2

A network engineer wants to configure switch ports on Cisco Nexus 2000 and 2200 Fabric Extender switches that are connected to a Cisco Nexus 5500 Series Switch. Which three options allow this configuration? (Choose three.)

A. Connect to each of the Cisco Nexus 2200/2000 switches using Telnet, then configure the FEX switch ports.

B. Connect to a Cisco Nexus 5500 using a console cable, then configure the FEX switch ports.

C. Connect to each of the Cisco Nexus 2200/2000 switches using a console cable, then configure the FEX switch ports.

D. Connect to each of the Cisco Nexus 2200/2000 switches using SSH, then configure the FEX switch ports.

E. Connect to a Cisco Nexus 5500 switch using SSH, then configure the FEX switch ports.

F. Connect to a Cisco Nexus 5500 using Telnet, then configure the FEX switch ports.

Correct Answer: BEF

QUESTION 3

What option should be verified before configuring UCSM?

A. verify physical connection on fabric interconnect

B. verify Default Gateway

C. verify DNS Server

D. verify VLAN Configuration

Correct Answer: A

QUESTION 4

Which IEEE protocol provides bandwidth management and priority selection?

A. Priority-based Flow Control (802.1Qbb)

B. Enhanced Transmission Selection (802.1Qaz)

C. Bandwidth Demand Circuit (802.1Qax)

D. Quantized Congestion Control (802.1Qau)

E. Data Center Bridging Exchange (802.1Qab)

Correct Answer: B

QUESTION 5

Scenario:

Customer is configuring FCoE and NPV in their Data Center on Cisco Nexus 5000 Series Switches. Please go through the Topology and Exhibit 1 through 4 to answer the following questions.

Topology: Which statement is true regarding configuring NPV mode?



Exhibit 1

```
switch# configure terminal
switch(config)# npv enable
```

Pass4itSure.com

Exhibit 2

```
switch# show npv flogi-table
--------------------------------------------------------------------------------
SERVER                                                                  EXTERNAL
INTERFACE VSAN FCID           PORT NAME               NODE NAME         INTERFACE
--------------------------------------------------------------------------------
vfc3/1    1    0xee0c08 10:c0:00:0c:c9:60:e4:9a 20:00:0c:00:c9:60:e4:9a fc2/1
vfc3/1    1    0xee0c09 20:c0:00:0c:0a:00:00:01 20:00:0c:00:c9:60:e4:9a fc2/2
vfc3/1    1    0xee0c0a 20:c0:00:0c:0a:00:00:02 20:00:0c:00:c9:60:e4:9a fc2/3
vfc3/1    1    0xee0c0b 33:33:33:33:33:33:33:33 20:00:0c:00:c9:60:e4:9a fc2/4
Total number of flogi = 4
```

Exhibit 3

```
switch# show npv status
npiv is enabled

External Interfaces:
====================
  Interface: fc2/1, VSAN: 1, FCID: 0x1cC000, State: Up
  Interface: fc2/2, VSAN: 1, FCID: 0x04C000, State: Up
  Interface: fc2/3, VSAN: 1, FCID: 0x26C000, State: Up
  Interface: fc2/4, VSAN: 1, FCID: 0x1aC000, State: Up
  Number of External Interfaces: 4

Server Interfaces:
==================
  Interface: vfc3/1, VSAN: 1, NPIV: No, State: Up
  Number of Server Interfaces: 1
```

Exhibit 4

```
switch# show npv status
npiv is enabled
disruptive load balancing is enabled
External Interfaces:
====================
  Interface: fc2/1, VSAN: 2, FCID: 0x1c0C00, State: Up
```

Pass4itSure.com

A. When you enable NPV, the system configuration is erased and the switch reboots

B. When you enable NPV, the system configuration is not erased and the does not switch reboot.

C. In Exhibit 3 NPV is enabled, but Server Interface to the external switch is not tied to correct vfc 2/1.

D. In NPV mode, the core switch relays all traffic from server-side ports to the edge switch and core switch provides N ports.

Correct Answer: C

640-916 PDF Dumps 640-916 Practice Test 640-916 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © pass4itsure, All Rights Reserved.