



# 642-618<sup>Q&As</sup>

Deploying Cisco ASA Firewall Solutions (FIREWALL v2.0)

## Pass Cisco 642-618 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/642-618.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



Which Cisco ASA configuration has the minimum number of the required configuration commands to enable the Cisco ASA appliance to establish EIGRP neighborship with its two neighboring routers?


- A. `router eigrp 1 network 10.0.0.0 255.0.0.0`
- B. `router eigrp 1 network 10.0.0.0 255.0.0.0 network 192.168.1.0 255.255.255.0 network 192.168.2.0 255.255.255.0`
- C. `router eigrp 1 network 10.1.1.0 255.255.255.0 network 10.2.2.0 255.255.255.0`
- D. `router eigrp 1 network 10.1.1.0 255.255.255.0 network 10.2.2.0 255.255.255.0 network 192.168.1.0 255.255.255.0 network 192.168.2.0 255.255.255.0`
- E. `router eigrp 1 network 0.0.0.0 255.255.255.255`

Correct Answer: A

[http://www.cisco.com/en/US/products/ps6120/products\\_configuration\\_example09186a008086eb\\_d2.shtml](http://www.cisco.com/en/US/products/ps6120/products_configuration_example09186a008086eb_d2.shtml) EIGRP Configuration - the CLI configuration is very similar to the Cisco IOS router EIGRP configuration.

**QUESTION 2**

Refer to the exhibit.



Which Cisco ASA CLI nat command is generated based on this Cisco ASDM NAT configuration?

- A. nat (dmz, outside) 1 source static any any
- B. nat (dmz, outside) 1 source static any outside
- C. nat (dmz,outside) 1 source dynamic any interface
- D. nat (dmz, outside) 1 source dynamic any interface destination dynamic outside outside
- E. nat (dmz, outside) 1 source static any interface destination static any any
- F. nat (dmz, outside) 1 source dynamic any outside destination static any any

Correct Answer: C

Pretty straight forward - like this example <http://tunnelsup.com/2011/06/24/nat-for-cisco-asas-version-8-3/> Regular Dynamic PAT To create a many-to-one NAT where the entire inside network is getting PAT'd to a single outside IP do the following.

Old 8.2 command: nat (inside) 1 10.0.0.0 255.255.255.0 global (outside) 1 interface New 8.3 equivalent command: object network inside-net subnet 10.0.0.0 255.255.255.0 nat (inside, outside) dynamic interface

Note: the "interface" command is the 2nd interface in the nat statement, in this case the outside.

### QUESTION 3

Which flag not shown in the output of the show conn command is used to indicate that an initial SYN packet is from the outside (lower security-level interface)?



- A. B
- B. D
- C. b



- D. A
- E. a
- F. i
- G. I
- H. O

Correct Answer: A

[http://www.cisco.com/en/US/products/ps6120/products\\_tech\\_note09186a0080bcad00.shtml](http://www.cisco.com/en/US/products/ps6120/products_tech_note09186a0080bcad00.shtml)

Originally answer from dump was A meaning B or initial SYN from outside but B is not shown in the output.

The question used to read ".. Which flag shown in the output of the show conn command is used to indicate that an initial SYN packet is from the outside (lower security-level interface)?

#### TCP Connection Flag Values

Flag	Description
S	Awaiting Inside SYN
s	Awaiting Outside SYN
A	Awaiting Inside ACK to SYN
a	Awaiting Outside ACK to SYN
B	Initial SYN from Outside (Inbound Conn)
U	3-way Handshake Complete
I	Received Inbound Data
O	Received Outbound Data
F	Received Outside FIN
f	Received Inside FIN
R	Received Outside ACK to FIN
r	Received Inside ACK to FIN
X	Inspected by Service Module

Flags: A - awaiting inside ACK to SYN, a - awaiting outside ACK to SYN,  
B - initial SYN from outside, b - TCP state-bypass or nailed, C - CTIOBE media,  
D - DNS, d - dump, E - outside back connection, F - outside FIN, f - inside FIN,  
G - group, g - MGCP, H - H.323, h - H.225.0, I - inbound data,  
i - incomplete, J - GTP, j - GTP data, K - GTP t3-response  
k - Skinny media, M - SMTP data, m - SIP media, n - GUP  
O - outbound data, P - inside back connection, p - Phone-proxy TFTP connection,  
q - SQL\*Net data, R - outside acknowledged FIN,  
R - UDP SUNRPC, r - inside acknowledged FIN, S - awaiting inside SYN,  
s - awaiting outside SYN, T - SIP, t - SIP transient, U - up,  
V - VPN orphan, W - WAAS,  
X - inspected by service module



**QUESTION 4**

Refer to the exhibit.

```
ASA# packet-tracer input inside tcp 10.0.0.1 1024 172.26.1.200 23

Phase: 1
Type: FLOW-LOOKUP
Subtype:
Result: ALLOW
Config:
Additional Information:
Found no matching flow, creating a new flow
Phase: 2
Type: ROUTE-LOOKUP
Subtype: input
Result: ALLOW
Config:
Additional Information:
in 0.0.0.0 0.0.0.0 outside
Phase: 3
Type: ACCESS-LIST
Subtype: log
Result: DROP
Config:
access-group DENY_OUT in interface inside
access-list DENY_OUT extended deny ip any any
Additional Information:
Result:
input-interface: inside
input-status: up
input-line-status: up
output-interface: outside
output-status: up
output-line-status: up
Action: drop
Drop-reason: (acl-drop) Flow is denied by configured rule
```

Which statement about the Telnet session from 10.0.0.1 to 172.26.1.200 is true?

- A. The Telnet session should be successful.
- B. The Telnet session should fail because the route lookup to the destination fails.
- C. The Telnet session should fail because the inside interface inbound access list will block it.
- D. The Telnet session should fail because no matching flow was found.



E. The Telnet session should fail because inside NAT has not been configured.

Correct Answer: C

---

### QUESTION 5

In one custom dynamic application, the inside client connects to an outside server using TCP port 4444 and negotiates return client traffic in the port range of 5000 to 5500. The server then starts streaming UDP data to the client on the negotiated port in the specified range.

Which Cisco ASA feature or command supports this custom dynamic application?

- A. TCP normalizer
- B. TCP intercept
- C. ip verify command
- D. established command
- E. tcp-map and tcp-options commands
- F. set connection advanced-options command

Correct Answer: D

<http://www.cisco.com/en/US/docs/security/asa/asa72/configuration/guide/int5505.html>

Established command--This command allows return connections from a lower security host to a higher security host if there is already an established connection from the higher level host to the lower level host.

For same security interfaces, you can configure established commands for both directions.

[642-618 PDF Dumps](#)

[642-618 Study Guide](#)

[642-618 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.