

642-731^{Q&As}

Conducting Cisco Unified Wireless Site Survey

Pass Cisco 642-731 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/642-731.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee


- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.



After performing a Layer 1 survey using Cisco Spectrum Expert, what is the result indicated by the visual screen?


- A. Normal 802.11b activity
- B. Normal 802.11g activity
- C. Microwave oven interference
- D. Video camera interference
- E. Bluetooth device interference

Correct Answer: A



QUESTION 2

Refer to the exhibit.



After performing a Layer 1 survey using Cisco Spectrum Expert, what is the result indicated by the visual screen?

- A. Normal 802.11b activity
- B. Normal 802.11g activity
- C. Microwave oven interference
- D. Video camera interference
- E. Bluetooth device interference

Correct Answer: E

QUESTION 3

Which three reasons describe the importance of assessing existing wired infrastructure? (Choose three.)

A. determine PoE requirement



- B. determine cable length
- C. determine port bandwidth
- D. determine quality of service
- E. determine UPS requirement
- F. determine LWAPP support
- G. determine CAPWAP support

Correct Answer: ABC

QUESTION 4

When performing a post-installation audit with a auditing tool such as Ekahau, which two steps are associated with the active portion of the audit? (Choose two.)

A. Check that all channels are supported by the APs regardless of client capabilities.

B. Check for co-channel interference by standing near an access point on one channel and watching for other access points that are on the same channel.

C. Verify that the network traffic of physical data rate and packet loss meets user requirements.

D. Verify smooth roaming.

E. Check to see if the signal level on other access points that are heard on the same channel is at least 19 dBm weaker than the access point that you are next to.

Correct Answer: CD

QUESTION 5

An engineer needs to perform a site calibration using Cisco WCS. Which two types of data collection can be used? (Choose two.)

- A. data point
- B. area point
- C. radius point
- D. linear point
- E. hybrid point
- F. location point

Correct Answer: AD



642-731 Practice Test

642-731 Study Guide

642-731 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4itsure, All Rights Reserved.