642-747^Q&As

Implementing Cisco Unified Wireless Mobility Services

Pass Cisco 642-747 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/642-747.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which option describes Cisco support of Distributed Antenna Systems?

A. requires DAS integration vendor

B. requires disabled Cisco WLC RRM service

C. requires Cisco WCS antenna gain adjustment

D. requires disabled CleanAir services

E. requires disabled ClientLink services

Correct Answer: A

QUESTION 2

A new 802.11a/b/g/n RF calibration model is required for a floor map for Cisco WCS v7.0. Which method provides the easiest and complete new calibration?

A. point mode with 150 total measurements

B. point mode with 300 total measurements

C. linear mode with 150 total measurements

D. linear mode with 300 total measurements

Correct Answer: D

QUESTION 3

Refer to the exhibit.

What does the count of 62 for Handoff Requests Ignored represent in the Mobility Statistics output?

A. the number of handoff requests that were denied because the handoff period was too short (3 seconds)

B. the number of handoff requests or client announcements that were ignored because the controller had no knowledge of that client

C. the number of anchor requests that were ignored because the session closed on the current anchor and transferred the anchor back to the requestor

D. the number of handoff responses that were denied

Correct Answer: B

QUESTION 4

A company has reached 10 instances of WCS and 22,000 access points. If the company were to install Cisco WCS Navigator, how many additional WCS instances and APs could be supported?

A. 8000 APs 5 WCS instances

B. 8000 APs 10 WCS instances

C. 18000 APs 5 WCS instances

D. 18000 APs 10 WCS instances

Correct Answer: B

QUESTION 5

The primary Cisco WLC v7.0 has rebooted to a newer version of software, causing the APs to associate to the secondary controller or controllers. Given the default configuration parameters, what happens when the primary Cisco WLC is back in service?

A. APs remain on the existing controller.

B. APs remain on the existing controller until the APs are loaded with newer software, and then will return to the primary controller.

C. APs return to the prior controller on a first-come, first-serve basis.

D. APs return to the prior controller based on AP Failover Priority Level 1 first, followed by 2 through 4 ascending.

E. APs return to the prior controller based on AP Failover Priority Level 4 first, followed by 3 through 1 descending.

Correct Answer: C

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: