642-813^{Q&As}

Implementing Cisco IP Switched Networks

Pass Cisco 642-813 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/642-813.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which command correctly configures standby tracking for group 1 using the default decrement priority value?

A. standby 1 track 100

B. standby 1 track 100 decrement 1

C. standby 1 track 100 decrement 5

D. standby 1 track 100 decrement 20

Correct Answer: A

QUESTION 2

Refer to the exhibit.

BPDUGuard is enabled on both ports of SwitchA. Initially, LinkA is connected and forwarding traffic. A new LinkB is then attached between SwitchA and HubA. Which two statements about the possible result of attaching the second link are true? (Choose two.)

A. The switch port attached to LinkB does not transition to up.

B. One or both of the two switch ports attached to the hub goes into the err-disabled state when a BPDU is received.

C. Both switch ports attached to the hub transitions to the blocking state.

D. A heavy traffic load could cause BPDU transmissions to be blocked and leave a switching loop.

E. The switch port attached to LinkA immediately transitions to the blocking state.

Correct Answer: BD

QUESTION 3

Which VTP mode is needed to configure an extended VLAN, when a switch is configured to use VTP versions 1 or 2?

A. transparent

B. client

C. server

D. Extended VLANs are only supported in version 3 and not in versions 1 or 2.

Correct Answer: D

QUESTION 4

When you design a switched network using VTPv2, how many VLANs can be used to carry user traffic?

A. 1000

B. 1001

C. 1024

D. 2048

E. 4095

F. 4096

Correct Answer: B

QUESTION 5

Refer to the exhibit.

```
Company A# show vtp status

VTP Version              : 2
Configuration Revision   : 0
Maximum VLANs supported locally: 1005
Number of existing VLANs     : 9
VTP Operating Mode       : Server
VTP Domain Name          : company
VTP Pruning Mode         : Disabled
VTP V2 Mode              : Disabled
VTP Traps Generation     : Disabled


Company B# show vtp status

VTP Version              : 2
Configuration Revision   : 2
Maximum VLANs supported locally: 1005
Number of existing VLANs     : 42
VTP Operating Mode       : Server
VTP Domain Name          : company
VTP Pruning Mode         : Disabled
VTP V2 Mode              : Disabled
VTP Traps Generation     : Disable
```

The network switches for two companies have been connected and manually configured for the required VLANs, but users in company A are not able to access network resources in company B when DTP is enabled. Which action resolves this problem?

A. Delete vlan.dat and ensure that the switch with lowest MAC address is the VTP server.

B. Disable DTP and document the VTP domain mismatch.

C. Manually force trunking with switchport mode trunk on both switches.

D. Enable the company B switch with the vtp mode server command.

Correct Answer: C

Latest 642-813 Dumps   642-813 VCE Dumps   642-813 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: