



Deploying Cisco Service Provider Advanced Routing

Pass Cisco 642-885 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/642-885.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which two options are advantages of an IPv6 dual-stack implementation in an enterprise environment? (Choose two.)

- A. simplifies the route redistribution policies complexity
- B. requires IPv6-to-IPv4 translation on the uplinks to the service providers
- C. provides built-in support for Kerberos authentication
- D. does not have to worry about NAT traversal
- E. supports multicast properly

Correct Answer: DE

QUESTION 2

To which three IP multicast groups can a multicast MAC address "01-00-5E-4D-62-B1" listen? (Choose three.)

- A. 231.205.98.177
- B. 231.205.99.177
- C. 239.77.98.177
- D. 239.205.99.177
- E. 224.205.98.177
- F. 224.205.99.177

Correct Answer: ACE

QUESTION 3

A network engineer must configure a Cisco IOS XR router with BGP dampening. Which configuration meets these parameters?

- A. router bgp 60 bgp dampening
- B. router bgp 60 neighbor 10.0.0.2 bgp dampening
- C. router bgp 60 address-family ipv4 unicast bgp dampening

D. route-policy dampening_specific drop ! router bgp 60 address-family ipv4 unicast bgp dampening route-policy dampening_specific

E. router bgp 60 address-family ipv4 bgp dampening

Correct Answer: C



QUESTION 4

Instructions
Enter the proper CLI commands and analysis the outputs on the Cisco routers to answer the multiple-choice questions.
From the network topology diagram, click on each of the router icon to gain access to the console of each router.
No console or enable passwords are required.
There are four multiple-choice questions with this task. Be sure to answer all four questions before selecting the Next button.
Not all the CLI commands or commands options are supported or required for this simulation.
For example, the show running-config and the ping commands are NOT supported in this simulation.
All the devices in this simulation have been pre-configured and you are not required to enter in any configurations.
Scenario
Referring to the network topology diagram shown in the exhibit, use the proper CLI commands on the CE5, PE5 and PE6 routers
and interpret the supported CLI commands outputs to answer the four multiple choice questions.
Note: The CE5 router is an IOS router, the PE5 router is an IOS-XR router, and the PE6 router is an IOS-XE rout



 \times

Click on the CE5 and PE5 icons to access the respective router console This simulation does not require access to the PE6 router Loopback0 10.5.10.1 Loopback0 10.5.1.1 2 24 CE5 (ISRG2) PES (ASR9K) 192.168.105.51/24 192.168.105.50/24 Gi0/0 Gi0/0/0/0 192.168.156.50/24 GI0/0/0/1 192.168.156.60/24 Gi0/0/0/1 PE6 (ASR1K) Loopback0 10.6.1.1 IGP = IS-IS CE5# X . PE5#



Which three statements are correct regarding the various multicast groups? (Choose three.)

- A. Currently there is no source sending traffic to the 224.1.1.1 multicast group
- B. PE5 has a Null OILforthe (*,224.0.1.40) entry
- C. PE5 has a Null OILforthe (*,224.1.1.1) entry
- D. CE5 has joined the 224.0.1.40 multicast group
- E. CE5 has a Null OILforthe (*,224.1.1.1) entry

Correct Answer: CDE

#show ip mroute

QUESTION 5

Which field in the IPv6 header can be used to set the DSCP value?

- A. Flow Label
- B. Type of Service
- C. Traffic Class
- D. Precedence
- E. EXP
- Correct Answer: C

Traffic Class The Traffic Class field is an 8 bit field that is used to signify the importance of the data contained within this specific packet. With IPv4, this information was signified with the TOS field and supported both IP precedence and Differentiated Services Code Point (DSCP). The Traffic Class field used with IPv6 supports DSCP solely; this specification uses the first 6 bits to indicate the Per Hop Behavior (PHB) of the contained data; these PHB\\'s are defined in RFC 2474 and its additions.

642-885 Practice Test

642-885 Study Guide

642-885 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4itsure, All Rights Reserved.