

# 642-887<sup>Q&As</sup>

Implementing Cisco Service Provider Next-Generation Core Network Services

### Pass Cisco 642-887 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/642-887.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Which configuration set enables outbound label filtering so that only peer 192.168.10.1 receives label advertisements in an MPLS environment?

```
A. mpls ldp
      label
          accept
          for pfx acl from 192.168.10.1
     ipv4 access-list pfx acl
      10 permit ip host 10.0.0.0 any
     ipv4 access-list peer acl
      10 permit ip host 192.168.10.1 any
B. mpls ldp
      label
          accept
          for peer acl from 192.168.10.1
     ipv4 access-list pfx acl
      10 permit ip any host 10.0.0.0
     ipv4 access-list peer acl
      10 permit ip host 192.168.10.
C. mpls ldp
      label
          advertise
          for pfx acl to peer acl
          interface TenGigabitEthernet3/1
    ipv4 access-list pfx acl
      10 permit ip host 10.0.0.0 any
    ipv4 access-list peer_acl
      10 permit ip host 192.168.10.1 any
D. mpls ldp
      label
          advertise
          disable
          for pfx acl to peer_acl
          interface TenGigabitEthernet3/1
    ipv4 access-list pfx acl
      10 permit ip host 10.0.0.0 any
    ipv4 access-list peer_acl
      10 permit ip host 192.168.10.1
```

A. B. C. D.

A. Option A




https://www.pass4itsure.com/642-887.html 2022 Latest pass4itsure 642-887 PDF and VCE dumps Download

B. Option B
C. Option C
D. Option D
Correct Answer: C
QUESTION 2
On Cisco routers, which QoS marker is only locally significant?
A. DSCP
B. MPLS EXP
C. IP precedence
D. QoS group
E. discard eligible (DE)
Correct Answer: D
QUESTION 3
Which two features are used to provide Cisco MPLS TE node and link protection? (Choose two.)
A. autoroute
B. fast reroute
C. backup tunnels
D. BFD
Correct Answer: BC
QUESTION 4
Drag the MPLS Diff-Serv tunneling mode on the left to match the correct description on the right.
Select and Place:




#### https://www.pass4itsure.com/642-887.html

2022 Latest pass4itsure 642-887 PDF and VCE dumps Download



#### Correct Answer:



#### **QUESTION 5**



### https://www.pass4itsure.com/642-887.html 2022 Latest pass4itsure 642-887 PDF and VCE dumps Download

In Cisco IOS, what must be configured to ensure that an MPLS TE tunnel becomes active?

A. layer 3 addressing on the tunnel, to establish bidirectional communication over the tunnel

B. the tunnel for autoroute, to ensure proper installation into the forwarding plane

C. a path-option configuration, for either dynamic or explicit paths

D. the tunnel with a minimum bandwidth value, to properly calculate CSPF

Correct Answer: A

Latest 642-887 Dumps

642-887 VCE Dumps

642-887 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

## Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.