

642-889^{Q&As}

Implementing Cisco Service Provider Next-Generation Edge Network Services

Pass Cisco 642-889 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/642-889.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Pass4itSure.com

https://www.pass4itsure.com/642-889.html

2022 Latest pass4itsure 642-889 PDF and VCE dumps Download

QUESTION 1

Which VPN technology uses the Group Domain of Int	terpretation as the keyin	g protocol and IPsec for	r encryption that is
often deployed over a private MPLS core network?			

- A. DMVPN
- B. GET VPN
- C. SSL VPN
- D. L2TPv3

Correct Answer: B

Reference: http://www.cisco.com/en/US/prod/collateral/iosswrel/ps6537/ps6586/ps6635/ps7180/deployment_guide_c07 _554713.html

QUESTION 2

A routing entry on a PE router has an ext-hop address of ::ffff:[IP ADDRESS]. Which service provider technology is being deployed?

- A. 6VPE
- B. 6PE
- C. 4to6 tunnel
- D. 6to4 tunnel

Correct Answer: B

QUESTION 3

An engineer working for a Service Provider with employee id: xxxx:xxx is configuring Internet access for a customer using the MPLS L3VPN Shared Service method. Which step will be required to configure this service?

- A. global NAT
- B. route leaking between customer routing tables
- C. dedicated VRF that will import and export routes by using route-target values
- D. VRF-aware NAT on a P router

Correct Answer: C

QUESTION 4



https://www.pass4itsure.com/642-889.html

2022 Latest pass4itsure 642-889 PDF and VCE dumps Download

In hierarchical VPLS implementations, which two access architectures can be used between the UPE and NPE? (Choose two.)

- A. EoMPLS
- B. MP-BGP
- C. Frame Relay
- D. 802.1ad

Correct Answer: AD

H-VPLS uses spoke connections, usually between Layer 2 switches acting as the CE and PE devices at the service provider\\'s point-of presence (POP). The spoke connections can be either an IEEE 802.1Q tagged connection or an MPLS LSP.

 $Reference: http://www.cisco.com/en/US/docs/switches/metro/me3600x_3800x/software/release/12.2_52_ey/configuration/guide/swmpls.html \#wp1244272$

QUESTION 5

When configuring VPLS on the Cisco ASR 9000, which three configurations are required under the I2vpn configuration mode? (Choose three.)

- A. bridge-group
- B. bridge-domain
- C. xconnect
- D. vfi
- E. encapsulation

Correct Answer: ABD

Latest 642-889 Dumps

642-889 Practice Test

642-889 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.