



642-902^{Q&As}

Implementing cisco ip routing

Pass Cisco 642-902 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/642-902.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How is the configuration of a totally stubby area different from that of a stub area?

- A. The totally stubby area requires the no-summary command on the ABR.
- B. The totally stubby area requires the totally stubby command on the ABR.
- C. The no-summary command should be included on all routers within the totally stubby area.
- D. The totally stubby command should be included on all routers within the totally stubby area.
- E. The totally stubby area requires the no-summary command on the ASBR.

Correct Answer: A

Reference: http://www.cisco.com/en/US/tech/tk365/technologies_tech_note09186a0080094a74.shtml

QUESTION 2

A network administrator is troubleshooting a redistribution of RIP routes into OSPF. Given the exhibited configuration commands, which statement is true?

```
router rip
 network 10.0.0.0
 !
router ospf 5
 network 172.10.0.0 0.0.255.255 area 0
 redistribute rip
```

- A. Redistributed routes will be tagged as external type 1 (E1) with a metric of 30.
- B. Redistributed routes will be tagged as external type 2 (E2) with a metric of 20.
- C. Redistributed routes will maintain their original RIP routing metric.
- D. Redistributed routes will have a default metric of 0 and will be treated as unreachable and not advertised.
- E. Redistributed routes will have a default metric of 0 but will not be treated as reachable and will be advertised.

Correct Answer: B

By default, all routes redistributed into OSPF will be tagged as external type 2 (E2) with a metric of 20, except for BGP routes (with a metric of 1).

Note: The cost of a type 2 route is always the external cost, irrespective of the interior cost to reach that route. A type 1 cost is the addition of the external cost and the internal cost used to reach that route.



QUESTION 3

Which configuration command is used to enable EIGRP unequal-cost path load balancing?

- A. maximum-paths
- B. distance
- C. metric
- D. variance
- E. default-metric

Correct Answer: D

Reference:

http://www.cisco.com/en/US/tech/tk365/technologies_tech_note09186a008009437d.shtml (See traffic sharing
<http://networkninja.co.za/page/2/?s=bothaandcat=plus-5-results>

QUESTION 4

Click and drag the correct techniques for transitioning networks or devices from IPv4 to IPv6 from the left to the target zone on the right.

Select and Place:

Click and drag the correct techniques for transitioning networks or devices from IPv4 to IPv6 from the left to the target zone on the right.

NAT-PT	IPv4 to IPv6 Transition Methods
6to4 tunnels	
GRE tunnels	
route tagging	
IPsec tunnels	
ISATAP tunnels	

Correct Answer:




Click and drag the correct techniques for transitioning networks or devices from IPv4 to IPv6 from the left to the target zone on the right.

	IPv4 to IPv6 Transition Methods NAT-PT 6to4 tunnels GRE tunnels ISATAP tunnels
route tagging	
IPsec tunnels	

QUESTION 5

Refer to the exhibit.



Implementation Plan

1. Establish a traffic throughput baseline
2. Configure variance on R1 and R4
3. Use traceroute to validate load balancing has been activate
4. Establish a new traffic throghput baseline
5. Compare the new and old baselines and verify that load balancing is implemented as desired.



ROUTE.com is planning to implement load balancing for traffic between hosts on the 172.16.10.0/24 and 172.16.20.0/24 networks. You have been asked to review the implementation plan for this project. Which statement about the plan is true?

- A. It is complete as written.
- B. It should include a task to configure EIGRP multipath equal to 2 on R1 and R4.
- C. It should include a task to implement OSPF because it handles unequal cost load balancing most efficiently using variance.
- D. It should include a task that establishes a baseline before and after the configuration has been changed.

Correct Answer: A



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/642-902.html>

2022 Latest pass4itsure 642-902 PDF and VCE dumps Download

[Latest 642-902 Dumps](#)

[642-902 PDF Dumps](#)

[642-902 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.