

642-980^{Q&As}

Troubleshooting Cisco Data Center Unified Fabric

Pass Cisco 642-980 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/642-980.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
Nexus 1:
vpc domain 10
role priority 1
system-priority 1
peer-keepalive destination 1/1.1.1 source 1.1.1.2

Nexus 2:
vpc domain 10
role priority 2
system-priority 2
peer-keepalive destination 1.1.1.2 source 1.1.1.
```

You configure a vPC between two Cisco Nexus 7010 Switches. The peer link will not come up.

What is the problem?

- A. The vPC domain numbers must be different.
- B. The role priority must be the same.
- C. The system priority must be the same.
- D. The configuration is incorrect.

Correct Answer: C

QUESTION 2

Which two commands are used to determine the CoPP profile used on Cisco Nexus 7000 Series? (Choose two.)

- A. #show copp profile
- B. #show copp diff profile
- C. #show copp status
- D. #show running-config copp
- E. #show policy-map interface control-plane

Correct Answer: CD

QUESTION 3



https://www.pass4itsure.com/642-980.html

2022 Latest pass4itsure 642-980 PDF and VCE dumps Download

Which two occurrences happen during an ISSU? (Choose two.)

- A. FLOGI/fdisc or logo requests from servers fail until the ISSU is complete.
- B. The time-to-live value for CDP is increased (360 seconds) if it is less than the recommended timeout value.
- C. LACP is not affected because ISSU should not impact peers that rely on LACP because the recovery time is less than 90 seconds.
- D. NTP sessions stay alive and active.
- E. The control plane is offline for up to 300 seconds.

Correct Answer: AC

QUESTION 4

Which two describe the correct requirements for non-disruptive IOS ISSU on Cisco Nexus 7000 Series Switches? (Choose two.)

- A. updated kickstart and system images must be staged in bootflash on single-supervisor switches
- B. updated kickstart and system images must be staged in bootflash on dual-supervisor switches
- C. low version skew
- D. dual supervisors
- E. clock synchronization

Correct Answer: CD

QUESTION 5

Which two statements are true regarding vPC configuration? (Choose two.)

- A. With vPC, there are no blocked ports.
- B. vPC uses hash-based EtherChannel load balancing.
- C. There are STP-blocked redundant links.
- D. There is VLAN-based load balancing.
- E. There is higher oversubscription.

Correct Answer: AB

642-980 VCE Dumps

642-980 Exam Questions

642-980 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.