642-980^{Q&As}

Troubleshooting Cisco Data Center Unified Fabric

Pass Cisco 642-980 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/642-980.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Storage VDC creation has failed. Which two steps should be taken before creating the storage VDC? (Choose two.)

A. Check that the F1 module has the FCoE license installed.

B. Check that the FCoE feature is enabled on the N7K.

C. Check that you have allocated the interfaces of the F module on the VDC.

D. Check that the network QoS non-drop policy is configured for FCoE traffic.

E. Check that the FCoE VLANs are allocated on the VDC.

F. Check that the M2 module has the FCoE license installed.

Correct Answer: BD

QUESTION 2

A customer is deploying FCoE in its networkand has found that the connected host does not support FIP. Which command will be useful in troubleshooting this issue?

A. show platform fcoe_mgr info interface vfc id

B. show platform fcoe_mgr info software interface vfc id

C. show platform software fcoe_mgr info interface vfc id

D. show platform software interface fcoe_mgr info vfc id

Correct Answer: C

QUESTION 3

Refer to the exhibit.

```
switch# show npv status

npiv is enabled

External Interfaces:
====================
  Interface: ext17, FCID: 0x000000, State: Failed(neighbor on the upstream
  port is not fabric)

  Number of External Interfaces: 3
```

A customer is having difficulty getting NPV working. What is the cause of the problem?

A. The core NPV device is not enabled.

B. The core NPV device is not a switch.

C. The core NPV device is not configured on both ends.

D. The core NPV device is not configured on the upstream port.

Correct Answer: B

QUESTION 4

Referto the exhibit. An administrator sees this message in the log while merging switch fabrics. What is theissue?

```
%ZONE-2-ZS_MERGE_FAILED:  %$VSAN 1%$ Zone merge failure, isolating
interface  fc2/1 error: Received rjt from adjacent switch:[reason:0]

%ZONE-2-ZS_MERGE_FAILED:  %$VSAN 1%$ Zone merge failure, isola
interface  fc1/2 error: Member mismatch
```

A. Two switches have different zone names with the same members.

B. Two switches have different zone set names with the same members.

C. Two switches have the same zone set and zone name, but with different members.

D. Two switches have the same zone set and zone name with the same members.

Correct Answer: C

QUESTION 5

Which statement would explain why the overlay interface on an OTV edge device is not in the up state?

A. The site identifiers are identical within a multihomed site.

B. Multicast groups are not mapped to a range of SSM addresses to carry the multicast traffic.

C. An adjacency server is not configured for connectivity over a multicast transport.

D. The OTV IS-IS metrics do not match across all adjacent OTV edge devices.

Correct Answer: B

642-980 Practice Test   642-980 Study Guide   642-980 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: