

642-999^{Q&As}

Implementing Cisco Data Center Unified Computing

Pass Cisco 642-999 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/642-999.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Pass4itSure.com

https://www.pass4itsure.com/642-999.html

2022 Latest pass4itsure 642-999 PDF and VCE dumps Download

QUESTION 1

If there are four I/O module links from the Cisco Unified Computing System 5108 Blade Chassis to the Cisco Unified Computing System 6248UP Fabric Interconnect, which dynamic vNICs can be defined?

A. 9

B. 16

C. 24

D. 48

E. 54

F. 112

Correct Answer: E

QUESTION 2

When using VM-FEX, the new VMs are not connected, but existing VMs are unaffected. Which option describes the most likely cause?

- A. Binding is set to ephemeral on the DVS, but it must be set to static.
- B. Dynamic NICs have been exhausted.
- C. Hostd on the host has stopped responding to Cisco UCS Manager.
- D. The adapter has failed.

Correct Answer: B

QUESTION 3

You must upgrade a Cisco UCS -Series Server. Where must the Cisco UCS bundle image be located before you can begin the upgrade?

A. the Cisco Integrated Management Controller memory of the server

B. a USB drive connected to a Cisco UCS Fabric Interconnect

C. a TFTP server accessible to the Cisco UCS Fabric Interconnect

D. the flash file system of the fabric interconnect

Correct Answer: C

Reference: http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/firmware-mgmt/gui/21/b GUI Firmware Management 21/downloading and managing firmware in cisco ucs mana



https://www.pass4itsure.com/642-999.html

2022 Latest pass4itsure 642-999 PDF and VCE dumps Download

ger.html#concept_1923688E7A2E46239DCAE363E4A3DE81

QUESTION 4

Under which condition can you select the option to "remove" a blade server from within the Cisco UCS Manager?

- A. The server has been decommissioned before physical removal.
- B. The server has been sent a diagnostic interrupt.
- C. The server has been physically removed before decommission.
- D. The server has been powered down.

Correct Answer: C

QUESTION 5

Which NIC redundancy modes allow the LOMs to be discovered by the operating system or hypervisor?

- A. Dedicated mode
- B. Active/Active
- C. Active/Standby
- D. Cisco Card Mode

Correct Answer: A

Latest 642-999 Dumps

642-999 Study Guide

642-999 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.