650-968^{Q&As}

650-968^Q&As

Configuring Cisco UCS and Cisco Catalyst 3000 for Vblock Series 100

Pass Cisco 650-968 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/650-968.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which one of the following features can be configured for high availability on a Cisco Catalyst 3000 switch?

A. QoS

B. VRF-Lite

C. EVN

D. VRF

E. UPoE

Correct Answer: B

QUESTION 2

In a Cisco Catalyst 3000 switch, which QoS feature typically delays excess traffic, smoothing bursts and preventing unnecessary drops?

A. Shaping

B. Queuing

C. WRED

D. Marking

E. Classification

F. Policing

Correct Answer: A

QUESTION 3

What is the EEM policy that is defined within the CLI configurations?

A. An applet

B. tbc script

C. tcl script

D. txt script

E. bat script

Correct Answer: A

http://www.cisco.com/c/en/us/td/docs/ios/netmgmt/configuration/guide/12_2sx/nm_12_2sx_
book/nm_eem_policy_cli.html

QUESTION 4

Wha! is The main function offered by Embedded Event Manager (EEM) Cisco Catalyst 37XX switches?

A. EEM enables the IP routing feature set on Cisco Catalyst 37XX switches.

B. EEM enables a distributed and customized approach to event detection and recovery on Cisco Catalyst 37XX switches

C. EEM enables the Layer 2 feature set on Cisco Catalyst 37XX switches

D. EEM enables remote console connectivity on Cisco Catalyst 37XX switches.

Correct Answer: B

http://www.cisco.com/c/en/us/td/docs/ios/netmgmt/configuration/guide/12_2sx/nm_12_2sx_
book/nm_eem_overview.html

QUESTION 5

Which two of the following features can be configured using CIMC on a Cisco UCS C220 M3 Rack Server? (Choose two.)

A. FC boot option for B-Series blades

B. iSCSI boot option for B-Series blades

C. UCSM to FI connectivity

D. vNIC configuration for the P81E VIC

E. IPMI and SoL

Correct Answer: DE

http://www.cisco.com/en/US/docs/unified_computing/ucs/c/sw/gui/config/guide/1.5/b_Cisco _UCS_C-
series_GUI_Configuration_Guide.151_chapter_01001.html

Latest 650-968 Dumps   650-968 PDF Dumps   650-968 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © pass4itsure, All Rights Reserved.