



70-336^{Q&As}

Core Solutions of Microsoft Lync Server 2013

Pass Microsoft 70-336 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/70-336.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have a Lync Server 2013 infrastructure that contains four servers. The servers are configured as shown in the following table.

Server name	Role
Lync1.contoso.com	Standard Edition
Lync2.contoso.com	Standard Edition
Lync3.contoso.com	Edge Server
Sql1.contoso.com	Microsoft SQL Server SQL Server Reporting Services (SSRS)

You run the Get-CsManagementStoreReplicationStatus cmdlet and discover the following replication issue:

```
UpToDate : True
ReplicaFqdn : Lync1
LastStatusReport : 12/9/2012 12:09:09 PM
LastUpdateCreation : 12/9/2012 12:09:03 PM
ProductVersion :
```

```
UpToDate : True
ReplicaFqdn : Lync2
LastStatusReport : 12/9/2012 12:09:09 PM
LastUpdateCreation : 12/9/2012 12:09:03 PM
ProductVersion :
```

```
UpToDate : False
ReplicaFqdn : Lync3
LastStatusReport :
LastUpdateCreation : 9/9/2012 12:09:03
ProductVersion :
```

From Telnet, you verify that you can connect to Lync3 over TCP ports 443, 4443, 5061, and 5062. You republish the topology successfully and you restart Lync3.

You need to identify what is causing the replication issue.

What should you identify?

- A. A firewall issue
- B. A failed service
- C. A share permission issue
- D. A certificate issue
- E. A routing issue

Correct Answer: D



Not Firewall issue as you can telnet to the ports

Not a Failed Service as you can telnet to the ports

Not a Share Permissions issue as replication is working with the other 2 servers.

Not Routing Issue, routing is working as telnet is functional.

QUESTION 2

You have a Lync Server 2013 infrastructure.

You create a new common area phone.

You need to configure the common area phone for hot desking. The solution must enable hot desking for the common area phone only.

What should you do?

- A. Modify the global client policy.
- B. Create a per-user voice policy and assign the policy to a Phone object.
- C. Create a per-user client policy and assign the policy to a Phone object.
- D. Modify the global voice policy.

Correct Answer: C

<http://blog.schertz.name/2011/04/common-area-phone-configuration-in-lync/>

QUESTION 3

You have a Lync Server 2013 infrastructure.

Your company has a sales department and a research department.

You deploy persistent chat.

You need to configure persistent chat to meet the following requirements:

Users in the sales department must be prevented from viewing the names of the rooms used by the research department.

Users in the research department must be able to discover all of the rooms used by their department. What should you do?

- A.
 - Create a user-level Persistent Chat Policy named Sales.
 -



Apply the Sales policy to the sales and research users.

•

Create persistent chat rooms for each department and set the privacy to Secret.

B.

• Create a category named ResearchRooms.

•

Add the research users as Allowed members to the ResearchRooms category.

•

Add the sales users as Denied members to the ResearchRooms category.

•

Create persistent chat rooms for each department and set the privacy to Closed.

C.

• Create a category named ResearchRooms.

•

Add the research users as Allowed members to the ResearchRooms category.

•

Add the sales users as Denied members to the ResearchRooms category.

•

Create persistent chat rooms for each department and set the privacy to Secret.

D.

• Create a user-level Persistent Chat Policy named Sales.

• Apply the Sales policy to the sales and research users.

• Create persistent chat rooms for each department and set the privacy to Open.

Correct Answer: C

<http://technet.microsoft.com/en-us/library/jj204859.aspx> <http://technet.microsoft.com/en-us/library/jj205166.aspx>

QUESTION 4

You have a Lync Server 2013 infrastructure. You plan to deploy an archiving solution. Your company has a compliance policy that has the following requirements:



Instant messaging (IM) conversations between external users and the members of a group named Traders must be archived.

IM conversations between external users and the members of a group named HR must be archived.

The internal IM conversations of all other users must be archived.

You need to configure archiving policies to meet the compliance policy requirements.

Which three actions should you perform? (Each correct answer presents part of the solution. Choose three.)

- A.
Configure the global archiving policy to archive internal and external IM conversations.
- B.
Create a site-level archiving policy that is configured to archive internal and external IM conversations.
- C.
Create a user-level archiving policy that is configured to archive external IM traffic. Assign the policy to the Traders group.
- D.
Create a user-level archiving policy that is configured to archive internal and external IM traffic. Assign the policy to the HR group.
- E.
Configure the global archiving policy to archive internal IM conversations.

Correct Answer: CDE

QUESTION 5

Your network contains an internal network and a perimeter network.

You have a Lync Server 2013 infrastructure. The infrastructure contains four servers. The servers are configured as shown in the following table.

Server name	Role	Network
Lync01	Front End Server	Internal
Lync02	Front End Server	Internal
Lync03	Edge Server	Perimeter
Lync04	Edge Server	Perimeter

You plan to implement end-to-end logging by using the Centralized Logging Service.



You need to configure the firewall rule required for the Centralized Logging Service.

How should you configure the firewall rule? (To answer, configure the appropriate options in the answer area.)

Hot Area:

Protocol:
TCP
UDP

Port:
443
3478
5061
5350 to 5389
50001 to 50003

Direction:
Inbound to the internal network
Outbound to the perimeter network

Correct Answer:

Protocol:
TCP
UDP

Port:
443
3478
5061
5350 to 5389
50001 to 50003

Direction:
Inbound to the internal network
Outbound to the perimeter network



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.