



Recertification for MCSE: Communication

Pass Microsoft 70-384 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/70-384.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee


- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You have a Lync Server 2013 infrastructure as shown in the exhibit.



The infrastructure contains an Enterprise Edition Front End pool.

You plan to deploy Persistent Chat.

You need to identify the placement of the components required for Persistent Chat. The solution must minimize the deployment of additional servers whenever possible.

Where should you deploy the Persistent Chat components? (To answer, select the appropriate server to deploy each component in the answer area.)

HOTSPOT

Hot Area:

Persistent Chat Front End Server:	•
	Server1
	Server2
	Server4
	Server5
	a new server on the internal networ
	arew server on the perimeter netw
R	Ro.
Persistent Chat Server Store	<u>۲</u>
999	Server1
80	Server2
mmme	Server3
	Server4
de	Server5
	a new server on the internal networ
	a new server on the perimeter netw

Correct Answer:



Persistent Chat Front End Server:	-
	Server1
	Server2
	Server4
	Server5
	a new server on the internal networ
	anew server on the perimeter netw
1	
Persistent Chat Server Store	·
	Server1
8°	Server2
aller	Server3
and the second s	Server4
de	Server5
	a new server on the internal networ
	a new server on the perimeter netw

QUESTION 2

You have a Lync Server 2010 and Lync Server 2013 infrastructure. The infrastructure contains Front End pools. Currently, all users use the Lync Server 2010 Front End pool.

An administrator migrates a user to the Lync Server 2013 Front End pool.

After the migration, the user can no longer access the whiteboards, the attachments, the poll data, and the Microsoft PowerPoint presentations that were uploaded to the meeting before the migration.

You need to ensure that the PowerPoint presentations, the whiteboards, the attachments, and the poll data are moved when users migrate from Lync Server 2010 to Lync Server 2013.

What should you do?

A. Run the Move-CsUser cmdlet and specify the -ProxyPool parameter.

- B. Run the Move-CsLegacyUser cmdlet before you migrate the users.
- C. Run the Move-CsConferenceDirectory cmdlet before you migrate the users.
- D. Run the Move-CsUser cmdlet and specify the -MoveConferenceData parameter.

Correct Answer: D

QUESTION 3




You need to recommend which Lync Server 2013 components must be deployed to support the planned changes. The solution must meet the technical requirements.

Which components should you recommend? To answer, drag the appropriate components to the correct site in the answer area. Each component may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

DRAG DROP Select and Place:

Components	Answer Area		
Director server	Each central site	Component	1
Director server	Sec. Sec.	Company	
Edge Server	Altsurge	Component	
	Str.	Component	
Enterprise Edition Front End Server	Alla		
	e en la	Component	
Mediation Server	000		_
Persistant Chat Canvan	Each branch site	Component	
Persistent Chat Server	N	and provide the	
Standard Edition Front End Server			
Standard Edition Hone End Server			
Survivable Branch Appliance			

Correct Answer:



QUESTION 4

You have a Lync Server 2013 infrastructure.

You have one Enterprise Edition pool named pooll.contoso.com. Enterprise Voice is enabled for all users.



You have a PSTN gateway named mgl.contoso.com that does not support secure signaling. The Encryption support level of the global trunk configuration is set to Not Supported.

You add a second PSTN gateway named mg2.contoso.com. The SIP General parameters for mg2.contoso.com are configured as shown in the following table.

Setting	Value
SIP Transport Type	als
SIP UDP Local Port	5,060
SIP TCP Local Port	5,060
SIP TLS Local Port	5,067
Enable SIPS	Disable
the second se	_

On mg2.contoso.com, you generate and install a certificate from an internal certification authority (CA).

You need to ensure that Lync Server 2013 can use both PSTN gateways to make calls on the PSTN.

Which four actions should you perform?

To answer, move the four appropriate actions from the list of actions to the answer area and arrange them in the correct order.

DRAG DROP

Select and Place:

Actions	Answer Area
From the Topology Builder, create a new PSTN gateway.	om
Create a new trunk configuration for mg2.contoso.com and set the Encryption support level to Not Supported.	at Sulla Collin
Publish the topology.	Alle
Add the trunk to the existing voice routes.	
Set the Encryption support level of the global trunk configuration to Required.	
Create a new trunk configuration for mg2.contoso.com and set the Encryption support level to Required .	

Correct Answer:



rom the Topology Builder, create a new PSTN
ateway.
publish the topology.
veate a new trunk configuration for ng2.contoso.com and set the Encryption support evel to Required .
add the trunk to the existing voice routes.

QUESTION 5

You have a server named Lync1 that has Lync Server 2013 Standard Edition deployed.

Lync1 has Web Conferencing enabled. All client computers have Microsoft Lync 2013 deployed.

The network supports Differentiated Services (DiffServ).

The company plans to implement Quality of Service (QoS) for all Lync Server audio traffic.

You need to identify which tasks must be performed to configure QoS.

Which three tasks should you identify? (Each correct answer presents part of the solution. Choose three.)

- A. Configure Lync 2013 to use a specific port range for audio.
- B. Configure a QoS policy to use a specific port range for audio.
- C. Create a voice policy and a location policy.
- D. Set the Differentiated Services Code Point (DSCP) values used for audio as a priority.
- E. Configure Call Admission Control (CAC) for all subnets that contain Lync 2013 clients.

Correct Answer: ABD



70-384 VCE Dumps

70-384 Study Guide

70-384 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4itsure, All Rights Reserved.