

70-480^{Q&As}

Programming in HTML5 with JavaScript and CSS3

Pass Microsoft 70-480 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/70-480.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You have the following CSS markup that renders a red rectangle on a webpage.

```
#element1 {
        background: r
        margin: 50pg
        padding;
        width; 000px;
        height: 150px;
            -sizing: border-box;
}
```

How large will the red rectangle appear when it renders on the page?

A. width 200px, height 150 px

B. width 400px, height 350 px

C. width 100px, height 50 px

D. width 300px, height 250 px

Correct Answer: A

References: https://www.w3schools.com/CSSref/css3_pr_box-sizing.asp

QUESTION 2

You are validating user input by using built-in JavaScript functions.

The application must:

Store the value that is entered in a variable named inputValue

Use the built-in isNaN(tnputValue) function to evaluate the data type

You need to validate the return value of the isNaN(inputValue) function.


Which values will be returned? (To answer, configure the appropriate options in the dialog box in the answer area.)

Hot Area:

https://www.pass4itsure.com/70-480.html 2022 Latest pass4itsure 70-480 PDF and VCE dumps Download

If user inputs: isNaN(userInput) returns -13 isNaN (userInput) 24.3 True False 3*8 isNaN (wserInput) returns True False isNaN (userInput) returns True False

Correct Answer:



isNan is false for all these inputs.

The isNaN() function determines whether a value is an illegal number (Not-a-Number).

This function returns true if the value is NaN, and false if not.

Reference:

https://www.w3schools.com/jsref/jsref_parseInt.asp

https://www.w3schools.com/jsref/jsref_isNaN.asp

QUESTION 3

You are developing a web application that can function when users are not connected to the Internet.

You need to check the Internet connectivity status of a user\\'s browser.

Which method should you use?

```
function checkConnection()
         if (navigator.isOnline) {
CB
       function checkConnection()
         if (browser.isOnline) {
         else
CC.
       function que
                     kConnection()
             (arowser.online) {
       function checkConnection()
         if (navigator.online) {
         }
         else
A. Option A
B. Option B
C. Option C
```

D. Option D

Correct Answer: D

2022 Latest pass4itsure 70-480 PDF and VCE dumps Download

Navigator onLine Property

The onLine property returns a Boolean value that specifies whether the browser is in online or offline mode.

Example

Find out whether the browser is online:

var x = "Is the browser online?" + navigator.onLine;

The result of x will be:

Is the browser online? true

References:

https://www.w3schools.com/jsref/prop_nav_online.asp

QUESTION 4

DRAG DROP

```
<style>
#main
    width:180px;
    height: 150px;
    border: 1px solid black;
    display:flex;
}
#maln dlv: Target
</style>
   @div>1</div>
    <div>2</div>
    <div>3</div>
    <div>4</div>
    <div>5</div>
    <div>6</div>
</div>
```

You have the following markup.

You need to display all of the even numbers on the right and all of the odd numbers on the left.


2022 Latest pass4itsure 70-480 PDF and VCE dumps Download

How should you complete the code? To answer, drag the appropriate code elements to the correct targets. Each code element may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to


view content.

NOTE: Each correct selection is worth one point.

Select and Place:



Correct Answer:



2022 Latest pass4itsure 70-480 PDF and VCE dumps Download

QUESTION 5

You are developing an HTML5 page. The page includes the following code.

<p i<="" th=""><th>1="0</th><th>uter"</th><th>sty</th><th>le="</th><th>posi</th><th>tion</th><th>:rel</th><th>ative":</th><th>></th></p>	1="0	uter"	sty	le="	posi	tion	:rel	ative":	>
<p< td=""><td>id</td><td>="inne</td><td>r"></td><td></td><td></td><td></td><td></td><td></td><td></td></p<>	id	="inne	r">						
				STORE OF THE PERSON NAMED IN					

The inner paragraph must be exactly 15 pixels from the top left corner of the outer paragraph. You set the left style for the inner paragraph to the appropriate value.

You need to set the position property of the inner paragraph.

Which value should you use?

A. absolute

B. static

C. fixed

D. relative

Correct Answer: A

absolute: The element is positioned relative to its first positioned (not static) ancestor element.

Incorrect Answers:

D:

relative: The element is positioned relative to its normal position, so "left:20" adds 20 pixels to the element\\'s LEFT position.

Reference: CSS position Property http://www.w3schools.com/cssref/pr_class_position.asp

70-480 VCE Dumps

70-480 Study Guide

70-480 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.