



# 70-484<sup>Q&As</sup>

Essentials of Developing Windows Store Apps using C#

## Pass Microsoft 70-484 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/70-484.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

You are developing a Windows Store app.

You need to ensure that the app meets the requirements for Windows Store certification.

Which requirement must be met?

- A. The app must not display ads on tiles.
- B. The app must support Internet communication.
- C. The app must have a short name and a long name.
- D. Ads that do not comply with the standard content policies must supply a content agreement.

Correct Answer: A

---

### QUESTION 2

You are developing a Windows Store game. The game allows for interactive online play between users.

The game authenticates users by using the credentials of a third-party site that provides OAuth2 authentication.

You need to implement authentication that uses an implicit grant authorization.

How should you complete the relevant code? (To answer, drag the appropriate code segments to the correct locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Select and Place:



```
IsAuthenticated =  
    ProcessOAuthResponse(AuthenticationResult.ResponseData);
```

```
using(HttpClient client = new HttpClient())  
{  
    var response = await  
    client.GetStringAsync(RequestUrl);  
    IsAuthenticated = ProcessOAuthResponse(response);  
}
```

```
var RequestUrl = new Uri(string.Format(  
    "https://localhost/oauth?grant={0}&response_type={1}",  
    "authorization_code", ResponseUrl));
```

```
var RequestUrl = new Uri(string.Format(  
    "https://localhost/oauth?client_id={0}&response_type={1}&code={2}",  
    "<CLIENT_ID>", "code", ResponseUrl));
```

```
var RequestUrl = new Uri(string.Format(  
    "https://localhost/oauth?client_id={0}&response_type={1}&token={2}",  
    "<CLIENT_ID>", "token", ResponseUrl));
```

#### Answer Area

```
private bool IsAuthenticated { get; set; }  
private async void AuthenticateUser()  
{  
    var ResponseUrl = new  
    Uri("https://localhost/success.html");
```

```
var AuthenticationResult = await  
    WebAuthenticationBroker.AuthenticateAsync(  
        WebAuthenticationOptions.None, RequestUrl, ResponseUrl);
```

```
if (AuthenticationResult.ResponseStatus ==  
    WebAuthenticationStatus.Success)  
{
```

```
    }  
    else { ... }  
}
```



Correct Answer:



```
using(HttpClientClient = newHttpClient())  
{  
    varResponse = await  
Client.GetStringAsync(RequestUrl);  
    IsAuthenticated = ProcessOAuthResponse(Response);  
}
```

```
var RequestUrl = new Uri(string.Format(  
    "https://localhost/oauth?grant={0}&ru={1}",  
    "authorization_code", ResponseUrl));
```

```
varRequestUrl = newUri(string.Format(  
    "https://localhost/oauth?cid={0}&rt={1}&ru={2}",  
    "<CLIENT_ID>", "code", ResponseUrl));
```

#### Answer Area

```
private bool IsAuthenticated { get; set; }  
private async void AuthenticateUser()  
{
```

```
    var ResponseUrl = new  
    Uri("https://localhost/success.html");
```

```
    var RequestUrl = new Uri(string.Format(  
        "https://localhost/oauth?cid={0}&rt={1}&ru={2}",  
        "<CLIENT_ID>", "token", ResponseUrl));
```

```
var AuthenticationResult = await  
WebAuthenticationBroker.AuthenticateAsync(  
    WebAuthenticationOptions.None, RequestUrl, ResponseUrl);
```

```
if (AuthenticationResult.ResponseStatus ==  
    WebAuthenticationStatus.Success)  
{
```

```
    IsAuthenticated =  
        ProcessOAuthResponse(AuthenticationResult.ResponseData);
```

```
    }  
    else { ... }  
}
```



For implicit grant authorization we use TOKEN response type. Respond with the RequestURL.

Note:

\* The implicit grant flow can be used by both web-based and desktop apps. In this flow, the client makes an authorization request to [https://login.live.com/oauth20\\_authorize.srf](https://login.live.com/oauth20_authorize.srf) with request\_type=token. This is a standard OAuth 2.0 flow.

---

### QUESTION 3

You are developing a medical recordkeeping app for a company. The app will be used by physicians in remote areas of the world.

All data is highly sensitive and must be stored only in the company's internal data center. The app is not allowed to connect directly to the company's web service or internal network.

You need to select a data access strategy that meets the requirements.

Which remote data access strategy should you use?

- A. Connect to the company's web service framework by using Windows Azure Connect.
- B. Use the Windows.Storage.ApplicationData.Current.LocalSettings data store.
- C. Connect to Windows Azure Mobile Services and store the data in a SQL Azure database.
- D. Connect to a SQL Azure database and use SQL Data Sync.

Correct Answer: A

---

### QUESTION 4

You need to localize the Picture Sharer app in the required language.

Which actions should you perform? (Each correct answer presents part of the solution. Choose all that apply.)

- A. Add a Uid attribute to any XAML elements that must be localized.
- B. Create a folder named fr-CA at the root of the project.
- C. Create a resource file named resources.res.
- D. Create a resource file named resources.resw.
- E. Create a folder named es-ES at the root of the project.
- F. Add a Name attribute to any XAML elements that must be localized.

Correct Answer: ABD

x:Uid="SomeKey" attribute to the element and add the appropriate resource to the .resw file.



\*

(B) The app must be localized for the French Canadian market.

\*

(BD) Example: A French language resource named "Greeting" whose value is " Bonjour!". To create the resource file, add a folder named fr-FR to your project, and then add a resource file named Resources.resw to the folder.

\*

In Windows Store apps, you designate the names of localized resource files by creating a folder to store the resources and images of a supported culture. You can then describe the resource by using the culture name (such as "ko-kr") followed by the default resource name and resource file extension (such as "ko-kr \Resources.resw").

[http://msdn.microsoft.com/en-us/library/windows/apps/hh694557\(v=vs.110\).aspx](http://msdn.microsoft.com/en-us/library/windows/apps/hh694557(v=vs.110).aspx) URL:

---

## QUESTION 5

You are developing a Windows Store app that will display a toast notification.

You need to ensure that when a toast notification is displayed, the first line of the notification is bold.

Which template should you use?

- A. TileSquareText03
- B. ToastImageAndText02
- C. TileSquareText01
- D. ToastImageAndText01

Correct Answer: B

ToastImageAndText02

A large image, one string of bold text on the first line, one string of regular text wrapped across the second and third lines.

[70-484 Practice Test](#)

[70-484 Exam Questions](#)

[70-484 Braindumps](#)





To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.