



# 70-773<sup>Q&As</sup>

Analyzing Big Data with Microsoft R

## Pass Microsoft 70-773 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/70-773.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is

exactly the same in each question in this series.

Start of repeated scenario

You are developing a Microsoft R Open solution that will leverage the computing power of the database server for some of your datasets.

You are performing feature engineering and data preparation for the datasets.

The following is a sample of the dataset.

```
rxGetInfo(df)
head(df)
```

	age	incwage	perwt	hrswork1	state
1	50	9000	30	48	Indiana
2	41	35000	20	48	Indiana
3	55	40400	21	52	Indiana
4	56	45000	30	52	Indiana
5	46	17200	60	52	Indiana
6	49	35000	21	52	Indiana

End of repeated scenario.

You plan to score some data to create data features to address empty rows.

You have the following R code.



```
xdPath <- file.path(rxGetOption("[sampleInData]", "inputfile.xdf")
xdfLagged <- [sampleOutDataincludingFeatures](fileext = ".xdf")
rxSort(inData = xdfPath,
       outFile = xdfLagged,
       sortByVars = "Date")
rxDataStep(inData = xdfLagged,
           outFile = xdfLagged,
           transformObjects = list(
             varToLag = "Open",
             newName = "previousOpen"),
           transformFunc = lagVar,
           append = "cols",
           overwrite = TRUE)
rxDataStep(xdfLagged,
           varsToKeep = c("Date", "Open", "previousOpen"),
           numRows = 10)
```

You need to transform the data and overwrite the current dataset.

Which R code segment should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

#### Answer Area

	(inData = [sampleInData], outFile=[sampleOutDataincludingFeatures],
rxCube	
rxDataStep	transformFunc = computeNonLagFeatures,
rxExec	
transform	

overwrite=FALSE
overwrite=TRUE
varsToDrop=All
varsToDrop=NONE

Correct Answer:


#### Answer Area

	(inData = [sampleInData], outFile=[sampleOutDataincludingFeatures],
rxCube	
rxDataStep	transformFunc = computeNonLagFeatures,
rxExec	
transform	

overwrite=FALSE
overwrite=TRUE
varsToDrop=All
varsToDrop=NONE

**QUESTION 2**

You perform an analysis that produces the decision tree shown in the exhibit. (Click the Exhibit button.)



How many leaf nodes are there on the tree?

- A. 2
- B. 3
- C. 5
- D. 7

Correct Answer: C

References: <https://docs.microsoft.com/en-us/machine-learning-server/r/how-to-revoscaler-decision-tree>

**QUESTION 3**

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

You have a dataset that contains the physical characteristics of people. You need to visualize a relationship between height and weight for a subset of observations in the dataset.

What should you use?

- A. the Describe package



- B. the rxHistogram function
- C. the rxSummary function
- D. the rxQuantile function
- E. the rxCube function
- F. the summary function
- G. the rxCrossTabs function
- H. the ggplot2 package

Correct Answer: H

---

#### QUESTION 4

You plan to analyze data on a local computer. To improve performance, you plan to alternate the operation between a Microsoft SQL Server and the local computer.

You need to run complex code on the SQL Server, and then revert to the local compute context.

Which R code segment should you use?

- A. sqlCompute



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 <b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 <b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.