



# 700-905<sup>Q&As</sup>

Cisco HyperFlex for Systems Engineers

**Pass Cisco 700-905 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/700-905.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Drag the server type from the left onto the maximum number of capacity drives on the right.

Select and Place:

HX220c-M5SX	6-12
HX240c-M5SX	6-8
HX240c-M5L	6-23

Correct Answer:

	HX240c-M5L	6-12
	HX220c-M5SX	6-8
	HX240c-M5SX	6-23

### QUESTION 2


When building a HyperFlex cluster which two recommendations should be followed? (Choose two.)

- A. Use HX 220s for compute nodes and HX 240s for converged nodes
- B. Use B-Series servers to improve converged node scale.
- C. Use the same CPU model but memory configuration can be different.
- D. Use the same server configuration for the cluster.
- E. Use the same server model for the cluster.

Correct Answer: DE

**QUESTION 3**

Refer to the exhibit.



Which VIC model supports two wire connectivity to each Fabric Interconnect?

- A. VIC 1227
- B. VIC 1557
- C. VIC 1387
- D. VIC 1457

Correct Answer: A

---

**QUESTION 4**

Which two processes does failure on a node initiate? (Choose two.)

- A. Distributed pooled data is migrated off nodes to master data store.
- B. Affected node is marked as unhealthy and placed into standby mode
- C. A call-home process is initiated and the failure is reported to TAC
- D. The VMs on the failed node are moved to another node by vSphere high availability
- E. The system is marked unhealthy but remains operational.

Correct Answer: DE

---



#### QUESTION 5

Which three functionalities are provided by VAAI? (Choose three.)

- A. When a native snapshot is requested, the request is processed by the hypervisor.
- B. Missing pieces of data are re-created from the remaining nodes in service
- C. Cisco HXDP creates a file system native snapshot which is registered in the vSphere.
- D. VAAI performs caching, deduplication: and compression of data.
- E. Instead of the snapshot being performed in hypervisor it is offloaded to Cisco HXDP.
- F. VAAI uses RAID to consolidate disks into a shared data platform.

Correct Answer: ACE

[700-905 PDF Dumps](#)

[700-905 Practice Test](#)

[700-905 Study Guide](#)