



700-905^{Q&As}

Cisco HyperFlex for Systems Engineers

Pass Cisco 700-905 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/700-905.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two statements on Replication Factors are valid? (Choose two.)

- A. RF2 has 100% better protection of data while using 33% more space and is recommended.
- B. RF3 has 100% better protection of data while using 33% more space and is recommended.
- C. LAZ can increase RTO for 16+ node clusters.
- D. When performing rolling upgrades, the upgraded node is down for maintenance, stretching RF2 to the absolute limit.
- E. LAZ can decrease fault tolerance of S+ node clusters to less than 4

Correct Answer: BD

QUESTION 2

HyperFlex is tightly integrated into the Cisco portfolio, allowing which two powerful service integrations? (Choose two)

- A. Cloud mobility: CloudCenter enables workload mobility between HyperFlex and public and private clouds, including private cloud self-service Infrastructure as a service (IaaS) capabilities
- B. Application centric infrastructure: ACI enables faster deployment via End-Point Group integration of the HyperFlex clusters into existing application environments
- C. Multi-cloud integration Workloads are able to seamlessly migrate to platforms such as Amazon Web Services: Microsoft Azure and Google Cloud Platform
- D. On-premise container platform: Cisco Container Platform automates repetitive tasks, such as installing Kubernetes and Docker, installing analytics tools, creating clusters, load balancing, curating the OS, and even updating the distribution
- E. Data Center Network Monitor: This management platform enables administrators to monitor storage in the HyperFlex solution and provide real-time storage performance for the HyperFlex cluster

Correct Answer: AD

QUESTION 3

How many separate VLANs must each HyperFlex node be configured with running ESXi?

- A. 1
- B. 2



C. 3

D. 4

Correct Answer: D

QUESTION 4

Which two components are automatically configured from the information provided to the HyperFlex installer? (Choose two)

A. the network

B. operating system deployment preparation

C. controller VM configuration

D. application dependencies

E. server firmware policy

Correct Answer: AC

QUESTION 5

Which two processes does Disk Failure initiate? (Choose two)

A. The affected cluster is marked as unhealthy and placed into standby mode

B. If the replication factor is sufficient for the failure, the system is marked as unhealthy but remains operational

C. Distributed pooled data is migrated off nodes to master data store.

D. Performance is almost unaffected Sets 1-minute timer until self-healing starts.

E. Self-healing mode is initiated and data replication factors applied.

Correct Answer: BD
