



7004.1^{Q&As}

Avaya Communication Server 1000 for Avaya Aura® Maintenance Exam

Pass Avaya 7004.1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/7004-1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.

Customer 0, Route 8 Property Configuration

- Basic Configuration

Route data block (RDB) (TYPE):

Customer number (CUST):

Route number (ROUT):

Designator field for trunk (DES):

Trunk type (TKTP):

Incoming and outgoing trunk (ICOG):

Access code for the trunk route (ACOD):

The route is for a virtual trunk route (VTRK): ☒

- Zone for codec selection and bandwidth management (ZONE): (ID - 8000)

- Node ID of signaling server of this route (NODE): (ID - 9999)

Calling number dialing plan (CHDP):

• Basic Route Options

• Network Options

• General Options

• Advanced Configurations

You are asked to review the existing route information for the customer. According to the printout shown in the exhibit, which type of route is this?

- A. a directinward dialroute
- B. amedia services route
- C. an integrated services digital network route
- D. an incoming only route

Correct Answer: A

QUESTION 2

Click the Exhibit button.



0	Attendant
1	SPRE Code
21-27	Trunk Access Codes
3	Paging
4000-4999	Internal Directory Numbers
5019-5499	DID Directory Numbers
6020-6999	DID Directory Numbers
7	unassigned
8	unassigned
9	Access Code 2 (AC2)

Consider the customer's dialing plan shown in the exhibit. Which number used for the NARS AC1 access code?

- A. 6
- B. 8
- C. 9
- D. 31

Correct Answer: B

QUESTION 3

Click the Exhibit button.

TABLE A	TABLE B	TABLE C	TABLE D
SPN 61	SPN 61	SPN 61	SPN 61
RLI 2	RLI 3	RLI 4	RLI 5
RLI 2	RLI 3	RLI 4	RLI 5
ENTR 0	ENTR 0	ENTR 0	ENTR 0
ROUT 3	ROUT 3	ROUT 4	ROUT 3
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO	CNV NO	CNV NO	CNV NO
EXP NO	EXP NO	EXP NO	EXP NO
FRL 5	FRL 2	FRL 5	FRL 5
ENTR 1	ENTR 1		ENTR 1
ROUTE 1	ROUTE 1		ROUTE 1
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON		TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO	CNV NO		CNV NO
EXP NO	EXP NO		EXP NO
FRL 6	FRL 6		FRL 4



A customer's dialing requirement, listed below, require that all station users assigned an NCOS of 3 and Class of Service of Conditionally Toll Denied (CTD) be able to place toll calls from the United States to Australia.

Australia Country Code: 61 NCOS of 3 has an FRL of 3 Expensive Routers are not being used

With reference to the exhibit, which table will allow all station users to be able to place these toll calls?

- A. Provisioning Table A
- B. Provisioning Table B
- C. Provisioning Table C
- D. Provisioning Table D

Correct Answer: B

QUESTION 4

The Directory Number range for a customer dialing plan is 2500-2599. Which entry indicates the number of digitals of the CDP Dialed Number (NCDP) for this dialing plan?

- A. 4
- B. 6
- C. 8
- D. 12

Correct Answer: A

QUESTION 5

Your customer has a Communication Server 1000 RIs. 7 x system equipped with System Errors and Events Lookup pack 245 that provides the ability to display system messages on screen. When a system message is received, which procedure should you use to look it up and display it on the screen?

- A. Enter the system error number followed by For example, bug4080
- B. Enter bug followed by the system error code and .For example, bugerr4080
- C. Enter errcode followed by the system error code and .For example, errcode bug4080
- D. Enter err followed by the system error code followed by .For example, err bug4080

Correct Answer: A

[7004.1 PDF Dumps](#)

[7004.1 VCE Dumps](#)

[7004.1 Practice Test](#)