



701-100^{Q&As}

DevOps Tools Engineer Exam

Pass Lpi 701-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/701-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following sections must exist in a Packer template?

- A. images
- B. provisioners
- C. builders
- D. variables
- E. post-processors

Correct Answer: C

QUESTION 2

Which of the following Ansible tasks copies the file example.txt to a manage system?

- A. – rsync: src: example.txt dst: /tmp/example.txt
- B. – copy: src: example.txt dest: /tmp/example.txt
- C. – retrieve: src: example.txt dest: /tmp/example.txt
- D. - cp: source: example.txt dst: /tmp/example.txt
- E. - transfer: src: example.txt dest: /tmp/example.txt

Correct Answer: B

QUESTION 3

Which git sub command copies a local commit to a remote repository? (Specify ONLY the sub command without any path or parameters.)

- A. push

Correct Answer: A

QUESTION 4



What is CoreOS Container Linux?

- A. A Linux based operating system distribution for running container host and clusters.
- B. A container virtualization engine for the Linux kernel, similar to docker and rkt.
- C. A simplified Linux distribution which only host Docker containers without any additional management interface.
- D. A container orchestration tool which supports Docker and rkt containers.
- E. A Linux distribution optimized to be used as the base image for creating container images.

Correct Answer: A

QUESTION 5

What has to be done to configure Filebeat to submit log information to Logstash? (Choose TWO correct answers)

- A. Replace the input section of the Logstash configuration by a filebeat section.
- B. Add an output.logstash section to the Filebeat configuration and specify the Logstash server in that section's hosts attribute.
- C. Install Filebeat on the Logstash server and allow the Linux user running the Filebeat daemon to login to the remote host via SSH without using a password.
- D. Add a beats section to the input section of the Logstash configuration.
- E. Add the IP address of the Filebeat node to the option accept option in the section acl of the Logstash input configuration.

Correct Answer: BD

[Latest 701-100 Dumps](#)

[701-100 PDF Dumps](#)

[701-100 VCE Dumps](#)