



# 7230X<sup>Q&As</sup>

Avaya Aura® Communication Applications Support Exam

## Pass Avaya 7230X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/7230x.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

How can you enable all levels of the log, including debug, to be dumped into the ps.log file?

- A. Web browse to Avaya Aura® System Manager (SMGR), navigate to Services > Events > Logs > Log Settings, then enter PresenceServices into the Logger field, and enter ALL into Log Level.
- B. Use SSH to the PresenceServices Avaya Breeze™ node and execute the ce dlogon PresenceServices command.
- C. Use SSH to the PresenceServices Avaya Breeze™ node and execute the edp dlogon all command.
- D. Use SSH to Avaya Aura® System Manager (SMGR) and execute the edp dlogon all command.

Correct Answer: A

---

**QUESTION 2**

A customer calls Avaya support because their 3rd party SIP telephones are not working. Support is able to confirm that the telephones are not supported and do not integrate with Communication Manager or Session Manager.

Which two pre-implementation steps were omitted? (Choose two.)

- A. Establish connectivity.
- B. Test all third-party equipment and software.
- C. Provide accurate licensing specification.
- D. Access support.avaya.com to verify customer systems compatibility.
- E. Upgrade Communication and Session Manager.

Correct Answer: CE

---

**QUESTION 3**

Which tracing tools that help to debug WebRTC protocols are available on the Avaya Breeze™ platform?

- A. traceTURN, traceSTUN, and traceHTTP
- B. traceWEB and traceSM
- C. traceSTUN, traceTURN, and traceCE
- D. traceHTTP and traceCE

Correct Answer: B

---

**QUESTION 4**

In Avaya Aura® 7 the Avaya Session Border Controller for Enterprise (SBCE) license is installed on an external WebLM server and the EMS points to the WebLM server using a URL.

What is the correct syntax of that URL where 135.60.232.41 is the IP address of the WebLM server?

- A. <https://135.60.232.41:8443/WebLM/LicenseServer>
- B. <https://135.60.232.41:8080/LicenseServer>
- C. <https://135.60.232.41:52233/WebLM/LicenseServer>
- D. <https://135.60.232.41/WebLM>

Correct Answer: D

Reference: [https://downloads.avaya.com/elmodocs2/ir/r2\\_0/IR\\_R2\\_0\\_Doc\\_CD/CD/html/29157.htm](https://downloads.avaya.com/elmodocs2/ir/r2_0/IR_R2_0_Doc_CD/CD/html/29157.htm)

---

**QUESTION 5**

Which two methods can be used to determine the status of the Switch/CTI Link between Avaya Aura® Communication Manager (CM) and Avaya Aura® Application Enablement Services (AES)? (Choose two.)

- A. Observe the AES Alarm Report.
- B. Run an ASAI test on AES.
- C. Observe the CM dashboard.
- D. Observe the AES dashboard.
- E. Run the status aesvcs cti-link command on CM.

Correct Answer: BE

[Latest 7230X Dumps](#)

[7230X PDF Dumps](#)

[7230X Brindumps](#)