



76940X^{Q&As}

Avaya Converged Platform Support

Pass Avaya 76940X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/76940x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Rack view AL_ACP_AL_ACP_RACK



Refer to the exhibit.

When a support engineer navigates to Orchestrator's Rack View of an ACP 4200 system, the engineer notices that the V1-V6 slots on the right of the diagram are not populated.

What could be causing this problem?



- A. V1-V6 are used to represent Virtual Machines which are not present in this particular system.
- B. V1-V6 are used to represent Vertical PDUs which are not present in this particular system.
- C. V1-V6 are used to represent G450 Media Modules which are not present in this particular system.
- D. V1-V6 are only used for ACP 100 systems.

Correct Answer: A

QUESTION 2

When performing a BIOS or firmware upgrade on physical host servers, why is it important to have vSphere access?

- A. The VMs must be restarted before the upgrade process.
- B. vSphere is needed to shut down the physical server.
- C. VMs must be shut down before the process.
- D. The server must be placed in maintenance mode before the upgrade.

Correct Answer: C

QUESTION 3

A PodFX system is being upgraded to ACP 4.0 and Avaya Orchestrator needs to have an IP address assigned.

What would Avaya recommend for Orchestrator's IP address?

- A. Assign an unused IP address in the Management VLAN range for the Orchestrator.
- B. Re-use the PVM IP address for Orchestrator.
- C. Re-use the VPFM IP addresses for Orchestrator.
- D. There is no recommendation on which IP address to use for Orchestrator.

Correct Answer: A

QUESTION 4

Which two upgrade tasks are required before upgrading the ESXi servers to 6.5? (Choose two.)

- A. Upgrade the HP Server iLO firmware.
- B. Upgrade the PDU firmware.
- C. Upgrade the switch firmware.
- D. Upgrade the HP Server firmware.



Correct Answer: AC

Reference: <https://downloads.avaya.com/css/P8/documents/101061688>

QUESTION 5

Which feature in Avaya Orchestrator allows a support engineer to select the management protocols and credentials of the equipment that is to be monitored within the ACP 4200?

- A. Monitoring Setup
- B. Orchestrator Security Center
- C. Device and Credentials Editor
- D. ACP Configuration Wizard

Correct Answer: D

[76940X PDF Dumps](#)

[76940X VCE Dumps](#)

[76940X Study Guide](#)