



# 76940X<sup>Q&As</sup>

Avaya Converged Platform Support

## Pass Avaya 76940X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/76940x.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A support engineer is upgrading a PodFX 3.1 system to ACP 4200 4.0. When upgrading the HPE server firmware, the support engineer uses the iLO web interface's remote console to run the update tool. After several minutes, the engineer notices that the remote console does not show any display, and in the lower left-hand corner it displays "No Video".

Which statement describes the action that the engineer would take?

- A. Using the iLO web interface, disable the server's screen saver function.
- B. Using the iLO web interface, power on the server using the Power On: Momentary Press button.
- C. Using the iLO web interface, reboot the server using the Power Cycle: Server Reboot option.
- D. Use the remote control when it reappears after the server automatically reboots.

Correct Answer: B

Reference: <https://downloads.avaya.com/css/P8/documents/101061688>

---

**QUESTION 2**

Which functionality does Management Server Console (MSC) provide?

- A. Common installation, upgrade and infrastructure maintenance tasks on the ACP 4200, and delivery of all the software and firmware binaries including main releases and patches for ACP 4200
- B. MIB browser and MIB query tool which can be used to browse and query the MIB
- C. Discovery and visualization of all ACP 4200 components including routers, switches, Avaya Aura? servers and applications, storage arrays, IP telephones, Avaya Session Border controllers, Media gateways and VM hosts.
- D. Layered dashboards for health monitoring, diagnostics, performance, analytics and reporting

Correct Answer: C

Reference: <https://downloads.avaya.com/css/P8/documents/101054946>

---

**QUESTION 3**

For the HP Server iLO interface, where is the default password located?

- A. Default Password is MAC Address
- B. LifeCycle Management Workbook
- C. HP Server Admin Guide
- D. Tag on server



Correct Answer: D

Reference: [https://support.hpe.com/hpesc/public/docDisplay?docId=mmr\\_kc-0103124](https://support.hpe.com/hpesc/public/docDisplay?docId=mmr_kc-0103124)

---

#### QUESTION 4

To view a graphical representation of the ACP 4200 and its individual components, where would a support engineer navigate?

- A. System Manager > Inventory
- B. Pod Visualization Manager > Home Dashboard
- C. Servertech PDU Web Interface > Equipment View
- D. Avaya Orchestrator > Rack Dashboard

Correct Answer: B

---

#### QUESTION 5

To use the Management Server Console (MSC) as their time source, how would the engineer configure the ESXi hosts?

- A. Login to the MSC, run the time\_configuration.bat script.
- B. Login to the MSC, set Services > Time configuration > NTP Clients = IP addresses of the ESXi hosts.
- C. Login to the ESXi Hosts using the CLI, run the time\_configuration.sh script.
- D. Login to vCenter server using the Web UI, set host > manage > Time configuration = IP address of the MSC.

Correct Answer: B

Reference: <https://downloads.avaya.com/css/P8/documents/101054946> (90)

[76940X VCE Dumps](#)

[76940X Practice Test](#)

[76940X Braindumps](#)